

MARYLAND PESTICIDE SURVEY STATISTICS

2020 REPORT



INTRODUCTION

This publication contains estimates for specific pesticides used in Maryland during calendar year 2020. Published estimates include the combined pesticide usage of farm operators, certified private pesticide applicators, and commercially licensed businesses and public agencies.

All data were compiled by the Maryland Field Office of the National Agricultural Statistics Service (NASS) in cooperation with the Pesticide Regulation Section of the Maryland Department of Agriculture. Staff of the Pesticide Regulation Section provided technical assistance in survey planning and analysis of final summary tabulations. Data collection and summarization were completed by NASS, with access to record level data limited to NASS office personnel. All record-level data collected by NASS are confidential and protected by Title 7 of the U.S. Code.

Methodology

A survey was conducted in 2021 to estimate the amounts and types of pesticides applied in calendar year 2020 by Maryland farm operators, certified private pesticide applicators, commercially licensed businesses, and public agencies. The survey consisted of a sample of 1,500 farmers, 2,845 certified private applicators, 1,371 commercially licensed businesses, and 264 public agencies permitted to apply pesticides. Lists of certified applicators, businesses, and public agencies were provided by the Pesticide Regulation Section of the Maryland Department of Agriculture. The farm operator sample was selected from a comprehensive list of farm operators maintained by NASS.

In February 2021, questionnaires were mailed to all sampled operations, businesses, and agencies, with a reminder postcard mailing and second questionnaire mailing to non-respondents occurring in April 2021. Responses were received from 687 (46%) of the sampled farmers, 808 (28%) certified private applicators, 188 (14%) commercially licensed businesses, and 58 (22%) public agencies. Response was voluntary and not required by law.

Data were reviewed for completeness and accuracy and all amounts reported were converted to pounds of active ingredient. Following questionnaire review, data were keyed and summarized utilizing SAS statistical software and data analysis was conducted by NASS statisticians. Active ingredients were totaled and expanded to a State level based solely on the population of each sector, final sample sizes and survey response. The population assumed to represent total usage of the target populations.

Results

Pesticide active ingredient estimates are published only when there were a sufficient number of reports and/or amounts applied. Active ingredients reported without sufficient number of reports or amounts less than one pound is listed on a separate table with a total amount estimated. Published data are listed in descending order by pounds of active ingredient and in alphabetical order. The top 20 pesticides (in terms of total pounds), the top 10 pesticides by county, the top 10 pesticides by season, the top 10 pesticides for certain targeted crops, the top 10 by class (insecticides, herbicides, fungicides, and other) are provided in separate tables. Common formulation and type for pesticides published comparisons tables are also provided.

State Pesticide Usage Publishable Estimates - Ranked According to Pounds Used

| Rank | Pesticide Common Name | lbs | | Rank | Pesticide Common Name | lbs |
|-------------|------------------------------|------------|--|-------------|------------------------------|------------|
| 1 | All Glyphosate | 565,481 | | 47 | Dithiopyr | 3,560 |
| 2 | Atrazine | 270,656 | | 48 | Diazinon | 3,428 |
| 3 | S-Metolachlor | 186,824 | | 49 | Iprodione | 3,308 |
| 4 | All 2;4-D | 121,509 | | 50 | Fludioxonil | 3,207 |
| 5 | Paraquat | 83,095 | | 51 | Thiencarbazone-methy | 3,103 |
| 6 | Chlorfenapyr | 82,620 | | 52 | Dicamba; digly. salt | 2,906 |
| 7 | Chlorothalonil | 77,692 | | 53 | Sulfometuron methyl | 2,876 |
| 8 | Simazine | 76,660 | | 54 | Pyriproxyfen | 2,730 |
| 9 | Fipronil | 52,740 | | 55 | Butoxyethyl triclopy | 2,578 |
| 10 | Mineral oil | 33,140 | | 56 | Acephate | 2,564 |
| 11 | Imidacloprid | 30,338 | | 57 | MCPP-P; DMA Salt | 2,503 |
| 12 | Dicamba; dimet. salt | 27,935 | | 58 | Piperonyl butoxide | 2,445 |
| 13 | Sulfur | 25,761 | | 59 | Calcium polysulfide | 2,400 |
| 14 | Pendimethalin | 25,659 | | 60 | Ziram | 2,380 |
| 15 | Bifenthrin | 25,047 | | 61 | Prodiamine | 2,374 |
| 16 | Metolachlor | 21,767 | | 62 | Ethephon | 2,337 |
| 17 | Metribuzin | 20,198 | | 63 | Trinexapac-ethyl | 2,269 |
| 18 | Copper sulfate | 18,665 | | 64 | Pydiflumetofen | 2,258 |
| 19 | Mesotrione | 17,611 | | 65 | Cyproconazole | 2,235 |
| 20 | Tembotriione | 13,989 | | 66 | Difenoconazole | 2,217 |
| 21 | Mancozeb | 13,627 | | 67 | Pyroxasulfone | 2,192 |
| 22 | Azoxystrobin | 13,046 | | 68 | Fosetyl-al | 2,096 |
| 23 | Pelargonic acid | 11,664 | | 69 | Sodium metaborate | 2,078 |
| 24 | Lambda-cyhalothrin | 10,917 | | 70 | Bentazon | 2,060 |
| 25 | Mono-potassium salt | 10,287 | | 71 | Clopyralid mono salt | 1,993 |
| 26 | Tebuconazole | 9,025 | | 72 | Carbaryl | 1,977 |
| 27 | Fomesafen Sodium | 8,831 | | 73 | Malathion | 1,962 |
| 28 | Dicamba; BAPMA salt | 8,802 | | 74 | Penthiopyrad | 1,858 |
| 29 | Acetochlor | 8,331 | | 75 | Propamocarb hydroch. | 1,638 |
| 30 | Thiophanate-methyl | 8,223 | | 76 | Linuron | 1,630 |
| 31 | Propiconazole | 8,176 | | 77 | Diquat dibromide | 1,620 |
| 32 | Clethodim | 7,284 | | 78 | Fluazinam | 1,590 |
| 33 | Permethrin | 6,625 | | 79 | Thiram | 1,504 |
| 34 | Fluopyram | 6,401 | | 80 | Quinclorac | 1,491 |
| 35 | Copper hydroxide | 6,373 | | 81 | Imazethapyr | 1,325 |
| 36 | MCPA; 2-ethylhexyl | 6,369 | | 82 | Sodium chlorate | 1,318 |
| 37 | Isoxaflutole | 6,311 | | 83 | Copper ethanolamine | 1,264 |
| 38 | Glufosinate-ammonium | 5,496 | | 84 | Chlorimuron-ethyl | 1,210 |
| 39 | Dipot. endothall | 5,445 | | 85 | Dicamba; sodium salt | 1,161 |
| 40 | Captan | 5,296 | | 86 | Oryzalin | 1,141 |
| 41 | Sulfentrazone | 4,938 | | 87 | Bicyclopyrone | 1,097 |
| 42 | Beta-cyfluthrin | 4,475 | | 88 | Pyraclostrobin | 1,041 |
| 43 | Flumioxazin | 3,887 | | 89 | Halosulfuron | 988 |
| 44 | Clomazone | 3,668 | | 90 | Chlorpyrifos | 956 |
| 45 | Aminocyclopyrachlor | 3,629 | | 91 | Trifluralin | 955 |
| 46 | Dimethoate | 3,615 | | 92 | Fluroxypyr 1-MHE | 953 |

State Pesticide Usage Publishable Estimates - Ranked According to Pounds Used

| Rank | Pesticide Common Name | lbs | | Rank | Pesticide Common Name | lbs |
|-------------|------------------------------|------------|--|-------------|------------------------------|------------|
| 93 | Triadimefon | 931 | | 139 | Oxyfluorfen | 216 |
| 94 | Dicamba | 911 | | 140 | Imazapyr; iso. salt | 212 |
| 95 | Indaziflam | 909 | | 141 | Indoxacarb | 208 |
| 96 | Deltamethrin | 798 | | 142 | Prohexadione calcium | 205 |
| 97 | Triethylamine triclo | 791 | | 143 | Cloransulam-methyl | 204 |
| 98 | Saflufenacil | 760 | | 144 | Mefenoxam | 200 |
| 99 | Metconazole | 735 | | 145 | Pyrethrins | 197 |
| 100 | Cyprodinil | 731 | | 146 | Hexythiazox | 188 |
| 101 | Thifensulfuron | 712 | | 147 | Chlorantraniliprole | 185 |
| 102 | Fluazifop-P-butyl | 707 | | 148 | Nicosulfuron | 179 |
| 103 | Bensulide | 662 | | 149 | Chloropicrin | 175 |
| 104 | Prothioconazole | 645 | | 150 | Acifluorfen; sodium | 175 |
| 105 | Phosmet | 641 | | 151 | Methoxyfenozide | 171 |
| 106 | Basic copper sulfate | 637 | | 152 | Cyazofamid | 168 |
| 107 | Spirotetramat | 635 | | 153 | (7S)-Hydroprene | 149 |
| 108 | Acetamiprid | 611 | | 154 | Acibenzolar-S-Methyl | 142 |
| 109 | Cyfluthrin | 600 | | 155 | Polyoxin D zinc salt | 138 |
| 110 | Picoxystrobin | 600 | | 156 | Fluthiacet-methyl | 136 |
| 111 | MCPA; dimethyl. salt | 567 | | 157 | Ethalfluralin | 122 |
| 112 | Dimethenamid-P | 551 | | 158 | Tribenuron-methyl | 114 |
| 113 | Zeta-cypermethrin | 542 | | 159 | Streptomycin sulfate | 113 |
| 114 | Pyrimethanil | 511 | | 160 | Dinotefuran | 111 |
| 115 | Ioxaben | 495 | | 161 | Imazamox | 111 |
| 116 | Diflufenzopyr-sodium | 464 | | 162 | Copper oxide | 105 |
| 117 | Cypermethrin | 463 | | 163 | Napropamide | 104 |
| 118 | Prosulfuron | 435 | | 164 | Prallethrin | 104 |
| 119 | Ametoctradin | 418 | | 165 | Fluxapyroxad | 103 |
| 120 | Esfenvalerate | 416 | | 166 | Flumiclorac-pentyl | 95 |
| 121 | Copper chloride hyd. | 391 | | 167 | Spinosad | 94 |
| 122 | Reynoutria sachaline | 384 | | 168 | Benefin | 92 |
| 123 | Fenbuconazole | 361 | | 169 | Spinetoram | 90 |
| 124 | Mandipropamide Techn | 338 | | 170 | Buprofezin | 90 |
| 125 | Dimethomorph | 314 | | 171 | Flutriafol | 88 |
| 126 | Imazosulfuron | 308 | | 172 | Sethoxydim | 84 |
| 127 | Diuron | 284 | | 173 | Copper (metallic) | 69 |
| 128 | Clopyralid | 282 | | 174 | Fenhexamid | 68 |
| 129 | Trifloxystrobin | 282 | | 175 | Abamectin | 67 |
| 130 | Boscalid | 278 | | 176 | Halauxifen-methyl | 62 |
| 131 | Rimsulfuron | 261 | | 177 | Imazapic-ammonium | 61 |
| 132 | Lactofen | 248 | | 178 | Propanoic acid | 61 |
| 133 | Cyantraniliprole | 243 | | 179 | Terbacil | 58 |
| 134 | Paclobutrazol | 241 | | 180 | Topramezone | 58 |
| 135 | Thiamethoxam | 225 | | 181 | Pinoxaden | 55 |
| 136 | Alk. dim. benzyl 60% | 223 | | 182 | Oxadiazon | 54 |
| 137 | Alk. dim. ethbz. am. | 223 | | 183 | Kantor | 54 |
| 138 | Hydrogen peroxide | 218 | | 184 | Myclobutanil | 50 |

State Pesticide Usage Publishable Estimates - Ranked According to Pounds Used

| Rank | Pesticide Common Name | lbs | | Rank | Pesticide Common Name | lbs |
|--|-------------------------------|------------|--|-------------|------------------------------|------------|
| 185 | Triisopropanolamine | 49 | | | | |
| 186 | Fluridone | 48 | | | | |
| 187 | Indolebutyric acid | 39 | | | | |
| 188 | Aluminum phosphide | 35 | | | | |
| 189 | Pymetrozine | 34 | | | | |
| 190 | Flumetsulam | 34 | | | | |
| 191 | Fenoxaprop-p-ethyl | 34 | | | | |
| 192 | Metsulfuron-methyl | 33 | | | | |
| 193 | Octacide-264 | 30 | | | | |
| 194 | Fenpropothrin | 29 | | | | |
| 195 | Silicon dioxide | 27 | | | | |
| 196 | Peroxyacetic acid | 26 | | | | |
| 197 | Prometon | 23 | | | | |
| 198 | Azadirachtin | 23 | | | | |
| 199 | Diphacinone | 22 | | | | |
| 200 | Fluvalinate | 22 | | | | |
| 201 | Benzovindiflupyr | 21 | | | | |
| 202 | Flurprimidol | 21 | | | | |
| 203 | Carfentrazone-ethyl | 21 | | | | |
| 204 | Quinoline | 19 | | | | |
| 205 | Alkyl. dim. benz. am | 18 | | | | |
| 206 | Dimethyldioctyl | 18 | | | | |
| 207 | Fluopicolide | 17 | | | | |
| 208 | Metrafenone | 14 | | | | |
| 209 | Boric acid | 13 | | | | |
| 210 | Flupyradifurone | 13 | | | | |
| 211 | Famoxadone | 12 | | | | |
| 212 | Cymoxanil | 12 | | | | |
| 213 | Benzyladenine | 11 | | | | |
| 214 | Oxathiapiprolin | 10 | | | | |
| 215 | Copper octanoate | 9 | | | | |
| 216 | Borax decahydrate | 8 | | | | |
| 217 | Cytokinins | 7 | | | | |
| 218 | Ethofenprox | 7 | | | | |
| 219 | Bacillus amyloliquefaciens st | 4 | | | | |
| 220 | Imazapyr | 4 | | | | |
| 221 | Zoxamide | 2 | | | | |
| 222 | Phenothrin | 1 | | | | |
| 223 | Brodifacoum | 1 | | | | |
| Total Active Ingredients Publishable | | 2,090,242 | | | | |
| Total Active Ingredients Non-Publishable | | 3,023,486 | | | | |
| Total Active Ingredients Reported | | 5,113,728 | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

State Pesticide Usage Publishable Estimates - Alphabetical

| Rank | Pesticide Common Name | lbs | | Rank | Pesticide Common Name | lbs |
|-------------|------------------------------|------------|--|-------------|------------------------------|------------|
| 153 | (7S)-Hydroprene | 149 | | 128 | Clopyralid | 282 |
| 175 | Abamectin | 67 | | 71 | Clopyralid mono salt | 1,993 |
| 56 | Acephate | 2,564 | | 143 | Cloransulam-methyl | 204 |
| 108 | Acetamiprid | 611 | | 173 | Copper (metallic) | 69 |
| 29 | Acetochlor | 8,331 | | 121 | Copper chloride hyd. | 391 |
| 154 | Acibenzolar-S-Methyl | 142 | | 83 | Copper ethanolamine | 1,264 |
| 150 | Acifluorfen; sodium | 175 | | 35 | Copper hydroxide | 6,373 |
| 136 | Alk. dim. benzyl 60% | 223 | | 215 | Copper octanoate | 9 |
| 137 | Alk. dim. ethbz. am. | 223 | | 162 | Copper oxide | 105 |
| 205 | Alkyl. dim. benz. am | 18 | | 18 | Copper sulfate | 18,665 |
| 4 | All 2;4-D | 121,509 | | 133 | Cyantraniliprole | 243 |
| 1 | All Glyphosate | 565,481 | | 152 | Cyazofamid | 168 |
| 188 | Aluminum phosphide | 35 | | 109 | Cyfluthrin | 600 |
| 119 | Ametoctradin | 418 | | 212 | Cymoxanil | 12 |
| 45 | Aminocyclopyrachlor | 3,629 | | 117 | Cypermethrin | 463 |
| 2 | Atrazine | 270,656 | | 65 | Cyproconazole | 2,235 |
| 198 | Azadirachtin | 23 | | 100 | Cyprodinil | 731 |
| 22 | Azoxystrobin | 13,046 | | 217 | Cytokinins | 7 |
| 219 | Bacillus amyloliquefaciens | 4 | | 96 | Deltamethrin | 798 |
| 106 | Basic copper sulfate | 637 | | 48 | Diazinon | 3,428 |
| 168 | Benefin | 92 | | 94 | Dicamba | 911 |
| 103 | Bensulide | 662 | | 28 | Dicamba; BAPMA salt | 8,802 |
| 70 | Bentazon | 2,060 | | 52 | Dicamba; digly. salt | 2,906 |
| 201 | Benzovindiflupyr | 21 | | 12 | Dicamba; dimet. salt | 27,935 |
| 213 | Benzyladenine | 11 | | 85 | Dicamba; sodium salt | 1,161 |
| 42 | Beta-cyfluthrin | 4,475 | | 66 | Difenoconazole | 2,217 |
| 87 | Bicyclopyrone | 1,097 | | 116 | Diflufenozopyr-sodium | 464 |
| 15 | Bifenthrin | 25,047 | | 112 | Dimethenamid-P | 551 |
| 216 | Borax decahydrate | 8 | | 46 | Dimethoate | 3,615 |
| 209 | Boric acid | 13 | | 125 | Dimethomorph | 314 |
| 130 | Boscalid | 278 | | 206 | Dimethyldioctyl | 18 |
| 223 | Brodifacoum | 1 | | 160 | Dinotefuran | 111 |
| 170 | Buprofezin | 90 | | 199 | Dipacinone | 22 |
| 55 | Butoxyethyl triclopy | 2,578 | | 39 | Dipot. endothall | 5,445 |
| 59 | Calcium polysulfide | 2,400 | | 77 | Diquat dibromide | 1,620 |
| 40 | Captan | 5,296 | | 47 | Dithiopyr | 3,560 |
| 72 | Carbaryl | 1,977 | | 127 | Diuron | 284 |
| 203 | Carfentrazone-ethyl | 21 | | 120 | Esfenvalerate | 416 |
| 147 | Chlorantraniliprole | 185 | | 157 | Ethalfluralin | 122 |
| 6 | Chlorfenapyr | 82,620 | | 62 | Ethephon | 2,337 |
| 84 | Chlorimuron-ethyl | 1,210 | | 218 | Ethofenprox | 7 |
| 149 | Chloropicrin | 175 | | 211 | Famoxadone | 12 |
| 7 | Chlorothalonil | 77,692 | | 123 | Fenbuconazole | 361 |
| 90 | Chlorpyrifos | 956 | | 174 | Fenhexamid | 68 |
| 32 | Clethodim | 7,284 | | 191 | Fenoxyprop-p-ethyl | 34 |
| 44 | Clomazone | 3,668 | | 194 | Fenpropothrin | 29 |

State Pesticide Usage Publishable Estimates - Alphabetical

| Rank | Pesticide Common Name | lbs | | Rank | Pesticide Common Name | lbs |
|-------------|------------------------------|------------|--|-------------|------------------------------|------------|
| 9 | Fipronil | 52,740 | | 124 | Mandipropamide Techn | 338 |
| 102 | Fluazifop-P-butyl | 707 | | 144 | Mefenoxam | 200 |
| 78 | Fluazinam | 1,590 | | 19 | Mesotrione | 17,611 |
| 50 | Fludioxonil | 3,207 | | 99 | Metconazole | 735 |
| 190 | Flumetsulam | 34 | | 151 | Methoxyfenozide | 171 |
| 166 | Flumiclorac-pentyl | 95 | | 16 | Metolachlor | 21,767 |
| 43 | Flumioxazin | 3,887 | | 208 | Metrafenone | 14 |
| 207 | Fluopicolide | 17 | | 17 | Metribuzin | 20,198 |
| 34 | Fluopyram | 6,401 | | 192 | Metsulfuron-methyl | 33 |
| 210 | Flupyradifurone | 13 | | 10 | Mineral oil | 33,140 |
| 186 | Fluridone | 48 | | 25 | Mono-potassium salt | 10,287 |
| 92 | Fluroxypyr 1-MHE | 953 | | 184 | Myclobutanil | 50 |
| 202 | Flurprimidol | 21 | | 163 | Napropamide | 104 |
| 156 | Fluthiacet-methyl | 136 | | 148 | Nicosulfuron | 179 |
| 171 | Flutriafol | 88 | | 193 | Octacide-264 | 30 |
| 200 | Fluvalinate | 22 | | 86 | Oryzalin | 1,141 |
| 165 | Fluxapyroxad | 103 | | 182 | Oxadiazon | 54 |
| 27 | Fomesafen Sodium | 8,831 | | 214 | Oxathiapiprolin | 10 |
| 68 | Fosetyl-al | 2,096 | | 139 | Oxyfluorfen | 216 |
| 38 | Glufosinate-ammonium | 5,496 | | 134 | Paclobutrazol | 241 |
| 176 | Halauxifen-methyl | 62 | | 5 | Paraquat | 83,095 |
| 89 | Halosulfuron | 988 | | 23 | Pelargonic acid | 11,664 |
| 146 | Hexythiazox | 188 | | 14 | Pendimethalin | 25,659 |
| 138 | Hydrogen peroxide | 218 | | 74 | Penthiopyrad | 1,858 |
| 161 | Imazamox | 111 | | 33 | Permethrin | 6,625 |
| 177 | Imazapic-ammonium | 61 | | 196 | Peroxyacetic acid | 26 |
| 220 | Imazapyr | 4 | | 222 | Phenothrin | 1 |
| 140 | Imazapyr; iso. salt | 212 | | 105 | Phosmet | 641 |
| 81 | Imazethapyr | 1,325 | | 110 | Picoxystrobin | 600 |
| 126 | Imazosulfuron | 308 | | 181 | Pinoxaden | 55 |
| 11 | Imidacloprid | 30,338 | | 58 | Piperonyl butoxide | 2,445 |
| 95 | Indaziflam | 909 | | 155 | Polyoxin D zinc salt | 138 |
| 187 | Indolebutyric acid | 39 | | 164 | Prallethrin | 104 |
| 141 | Indoxacarb | 208 | | 61 | Prodiamine | 2,374 |
| 49 | Iprodione | 3,308 | | 142 | Prohexadione calcium | 205 |
| 115 | Isoxaben | 495 | | 197 | Prometon | 23 |
| 37 | Isoxaflutole | 6,311 | | 75 | Propamocarb hydroch. | 1,638 |
| 183 | Kantor | 54 | | 178 | Propanoic acid | 61 |
| 132 | Lactofen | 248 | | 31 | Propiconazole | 8,176 |
| 24 | Lambda-cyhalothrin | 10,917 | | 118 | Prosulfuron | 435 |
| 76 | Linuron | 1,630 | | 104 | Prothioconazole | 645 |
| 36 | MCPA; 2-ethylhexyl | 6,369 | | 64 | Pydiflumetofen | 2,258 |
| 111 | MCPA; dimethyl. salt | 567 | | 189 | Pymetrozine | 34 |
| 57 | MCPP-P; DMA Salt | 2,503 | | 88 | Pyraclostrobin | 1,041 |
| 73 | Malathion | 1,962 | | 145 | Pyrethrins | 197 |
| 21 | Mancozeb | 13,627 | | 114 | Pyrimethanil | 511 |

State Pesticide Usage Publishable Estimates - Alphabetical

| Rank | Pesticide Common Name | lbs | | | | |
|-------------|------------------------------|------------------|--|--|--|--|
| 54 | Pyriproxyfen | 2,730 | | | | |
| 67 | Pyroxasulfone | 2,192 | | | | |
| 80 | Quinclorac | 1,491 | | | | |
| 204 | Quinoline | 19 | | | | |
| 122 | Reynoutria sachaline | 384 | | | | |
| 131 | Rimsulfuron | 261 | | | | |
| 3 | S-Metolachlor | 186,824 | | | | |
| 98 | Saflufenacil | 760 | | | | |
| 172 | Sethoxydim | 84 | | | | |
| 195 | Silicon dioxide | 27 | | | | |
| 8 | Simazine | 76,660 | | | | |
| 82 | Sodium chlorate | 1,318 | | | | |
| 69 | Sodium metaborate | 2,078 | | | | |
| 169 | Spinetoram | 90 | | | | |
| 167 | Spinosad | 94 | | | | |
| 107 | Spirotetramat | 635 | | | | |
| 159 | Streptomycin sulfate | 113 | | | | |
| 41 | Sulfentrazone | 4,938 | | | | |
| 53 | Sulfometuron methyl | 2,876 | | | | |
| 13 | Sulfur | 25,761 | | | | |
| 26 | Tebuconazole | 9,025 | | | | |
| 20 | Tembotrione | 13,989 | | | | |
| 179 | Terbacil | 58 | | | | |
| 135 | Thiamethoxam | 225 | | | | |
| 51 | Thien carbazole-methyl | 3,103 | | | | |
| 101 | Thifensulfuron | 712 | | | | |
| 30 | Thiophanate-methyl | 8,223 | | | | |
| 79 | Thiram | 1,504 | | | | |
| 180 | Topramezone | 58 | | | | |
| 93 | Triadimefon | 931 | | | | |
| 158 | Tribenuron-methyl | 114 | | | | |
| 97 | Triethylamine triclo | 791 | | | | |
| 129 | Trifloxystrobin | 282 | | | | |
| 91 | Trifluralin | 955 | | | | |
| 185 | Triisopropanolamine | 49 | | | | |
| 63 | Trinexapac-ethyl | 2,269 | | | | |
| 113 | Zeta-cypermethrin | 542 | | | | |
| 60 | Ziram | 2,380 | | | | |
| 221 | Zoxamide | 2 | | | | |
| | TOTAL | 2,090,242 | | | | |

Pesticides Reported But Not Publishable 1

| Name | Type |
|---|------|
| (S)-S 3307 | O |
| 1-Octanol | O |
| Acequinocyl | I |
| All 2;4-DB | H |
| All 2;4-DP | H |
| Allethrin | I |
| Aminopyralid potassium salt | H |
| Amitraz | I |
| Amm. Soap Fatty Acid | O |
| Ammonium pelargonate | H |
| Asulam; sodium salt | H |
| Bacillus amyloliquefac F727 | F |
| Bacillus mycoides Isolate J | I |
| Bacillus pumilus | F |
| Bacillus subtilis | F |
| Beauveria bassiana | I |
| Bifenazate | I |
| Bromacil | H |
| Bromadiolone | O |
| Bromethalin | O |
| Bromoxynil octanoate | H |
| Bt israelen BMP 144; sol;spor;insect tox | O |
| Bt kurstaki ABTS-351 | I |
| Bt kurstaki BMP123 | I |
| Bt kurstaki SA-12; sol;spor;insect tox | O |
| Burkholderia A396 cells & media | I |
| Butenoic Acid Hydro. | O |
| Calcium hypochlorite | O |
| Canola oil | I |
| Capric acid | O |
| Caprylic acid | O |
| Carbon | O |
| Chlorethoxyfos | I |
| Chlorine | O |
| Chlormequat chloride | O |
| Chlorophacinone | O |
| Chlorpyrifos-methyl | I |
| Chlorsulfuron | H |
| Chromobac subtsugae PRAA4-1 cells and spent media | I |
| Clofentezine | I |
| Clopyralid; triethanolamine | O |
| Clothianidin | I |
| Copper ethylenediamine complex | H |
| Copper triethanolamine complex | O |
| Cuprammonium acetate | O |
| Cycloate | H |

Pesticides Reported But Not Publishable 1

| Name | Type |
|----------------------|------|
| Cyflufenamid | F |
| Cyflumetofen | I |
| Cyromazine | I |
| D-Limonene | H |
| DCPA | H |
| Daminozide | O |
| Decanol | O |
| Decyldimethyloctyl | O |
| Dicamba; Pot. salt | H |
| Dicamba; iso salt | H |
| Dichlorvos | I |
| Dicrotophos | I |
| Didecyl dim. ammon. | O |
| Difethialone | O |
| Diflubenzuron | I |
| Dimethenamid | H |
| Disod. Octa. tetra. | I |
| Dodecadien-1-ol | O |
| Dodecanol | O |
| Dodine | F |
| E-8-Dodecenyl acetat | O |
| EPTC | H |
| Emamectin benzoate | I |
| Etoxazole | I |
| Etridiazole | F |
| Fenamidone | F |
| Fenbutatin-oxide | I |
| Fenpyroximate | I |
| Ferric sodium EDTA | I |
| Flazasulfuron | H |
| Flonicamid | I |
| Flucarbazone-sodium | H |
| Flufenacet | H |
| Flutolanil | F |
| Fomesafen | H |
| Foramsulfuron | H |
| Gamma-cyhalothrin | I |
| Gibberellic acid | O |
| Gibberellins A4A7 | O |
| Gossyplure | O |
| Halofenozide | I |
| Hexadecadien (Z;Z) | O |
| Hexazinone | H |
| Imazethapyr; ammon. | H |
| Isofetamid | F |
| Isopropyl alcohol | O |

Pesticides Reported But Not Publishable 1

| Name | Type |
|-------------------------------|------|
| Kaolin | I |
| Kinoprene | I |
| MCPP-P-potassium | H |
| MSMA | H |
| Maleic hydrazide | O |
| Mefluidide; diet. | O |
| Mesosulfuron-Methyl | H |
| Metalaxyl | F |
| Metaldehyde | O |
| Metam-sodium | O |
| Methiocarb | I |
| Methomyl | I |
| Methyl anthranilate | O |
| Methyl bromide | O |
| NAA; Sodium | O |
| Naphthalene | O |
| Neem oil | I |
| Neem oil; clar. hyd. | I |
| Nitrapyrin | O |
| Norflurazon | H |
| Novaluron | I |
| Noviflumuron | O |
| Octadecadien (E;Z) | O |
| Octadecadien (Z;Z) | O |
| Oxamyl | I |
| Oxytetracycline hydrochloride | O |
| Paecilomyces fumosor | O |
| Penoxsulam | H |
| Phenmedipham | H |
| Phorate | I |
| Picloram; K salt | H |
| Picloram; triisoprop | H |
| Pirimiphos-methyl | I |
| Potassium Phosphate | F |
| Potassium bicarbon. | F |
| Potassium salts | I |
| Potassium silicate | O |
| Prohydrojasmon | O |
| Prometryn | H |
| Propazine | H |
| Pyraflufen-ethyl | H |
| Pyridaben | I |
| Pyridalyl | I |
| Pyrifluquinazon | I |
| Pyroxsulam | H |
| S-Abscisic Acid | O |

Pesticides Reported But Not Publishable 1

| Name | Type |
|---|--|
| S-Methoprene | I |
| Silica gel | I |
| Sodium Percarbonate | F |
| Sodium hypochlorite | O |
| Sodium nitrate | O |
| Spirodiclofen | O |
| Spiromesifen | I |
| Streptomyces lydicus | F |
| Strychnine | O |
| Sulfoxaflor | I |
| Tea tree oil | F |
| Tebuthiuron | H |
| Tefluthrin | I |
| Tetramethrin | I |
| Thiazine | I |
| Thidiazuron | O |
| Tolfenpyrad | I |
| Tribufos | O |
| Triclopyr | H |
| Tricosene | I |
| Triflumizole | F |
| Triforine | F |
| Triphenyltin hydrox. | F |
| Triticonazole | F |
| Z-8-Dodecanol | O |
| Z-8-Dodecen acetate | O |
| Zinc phosphide | O |
| 1Not publishable due to disclosure or less than 1 pound reported. | F = Fungicide H = Herbicide I = Insecticide O = Other |

Top 10 Publishable Pesticides Usage by Crop in 2020

| FIELD | | | |
|------------|-----------------------|------|--------------------------|
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | All Glyphosate | H | 525,078 |
| 2 | Atrazine | H | 268,835 |
| 3 | S-Metolachlor | H | 183,741 |
| 4 | All 2;4-D | H | 96,609 |
| 5 | Paraquat | H | 80,779 |
| 6 | Simazine | H | 76,546 |
| 7 | Dicamba; dimet. salt | H | 27,087 |
| 8 | Pendimethalin | H | 22,754 |
| 9 | Metolachlor | H | 21,464 |
| 10 | Metribuzin | H | 20,175 |
| FRUIT | | | |
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Sulfur | F | 23,181 |
| 2 | Mono-potassium salt | F | 9,256 |
| 3 | Mancozeb | F | 8,735 |
| 4 | Copper hydroxide | F | 5,709 |
| 5 | Captan | F | 4,661 |
| 6 | Azoxystrobin | F | 3,450 |
| 7 | Diazinon | I | 2,724 |
| 8 | Ziram | F | 2,380 |
| 9 | Calcium polysulfide | F | 2,221 |
| 10 | Mineral oil | I | 2,155 |
| FOREST | | | |
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | All 2;4-D | H | 899 |
| 2 | All Glyphosate | H | 865 |
| 3 | Butoxyethyl triclopy | H | 208 |
| VEGETABLES | | | |
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Chlorothalonil | F | 3,808 |
| 2 | All Glyphosate | H | 2,867 |
| 3 | S-Metolachlor | H | 2,765 |
| 4 | Paraquat | H | 1,187 |
| 5 | Atrazine | H | 980 |
| 6 | Mono-potassium salt | F | 659 |
| 7 | Pendimethalin | H | 631 |
| 8 | All 2;4-D | H | 533 |
| 9 | Copper hydroxide | F | 526 |
| 10 | Azoxystrobin | F | 518 |

Top 10 Publishable Pesticides Usage by Crop in 2020

| NURSERY | | | |
|------------|-----------------------|------|--------------------------|
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Mineral oil | I | 9,699 |
| 2 | All Glyphosate | H | 2,487 |
| 3 | Chlorothalonil | F | 1,484 |
| 4 | All 2;4-D | H | 389 |
| 5 | Acephate | I | 211 |
| 6 | Pendimethalin | H | 197 |
| 7 | Oxyfluorfen | H | 190 |
| 8 | Prodiamine | H | 178 |
| 9 | Thiophanate-methyl | F | 140 |
| 10 | Flumioxazin | H | 101 |
| INDUSTRIAL | | | |
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Chlorfenapyr | I | 82,614 |
| 2 | Fipronil | I | 34,238 |
| 3 | Bifenthrin | I | 19,011 |
| 4 | Imidacloprid | I | 16,912 |
| 5 | Beta-cyfluthrin | I | 1,003 |
| 6 | Deltamethrin | I | 797 |
| 7 | Lambda-cyhalothrin | I | 681 |
| 8 | Piperonyl butoxide | I | 578 |
| 9 | Cyfluthrin | I | 470 |
| 10 | Esfenvalerate | I | 412 |
| ORNAMENTAL | | | |
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Mineral oil | I | 13,383 |
| 2 | Chlorothalonil | F | 12,803 |
| 3 | All Glyphosate | H | 9,581 |
| 4 | All 2;4-D | H | 7,852 |
| 5 | MCPA; 2-ethylhexyl | H | 2,778 |
| 6 | Imidacloprid | I | 2,179 |
| 7 | Azoxystrobin | F | 1,778 |
| 8 | Prodiamine | H | 1,493 |
| 9 | Butoxyethyl triclopy | H | 1,220 |
| 10 | Dithiopyr | H | 842 |
| TURF | | | |
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Chlorothalonil | F | 31,191 |
| 2 | Thiophanate-methyl | F | 7,423 |
| 3 | All 2;4-D | H | 6,067 |
| 4 | Iprodione | F | 3,149 |
| 5 | Dithiopyr | H | 2,689 |
| 6 | Fosetyl-al | F | 1,903 |
| 7 | Propiconazole | F | 1,684 |
| 8 | MCPA; 2-ethylhexyl | H | 1,498 |
| 9 | Fluazinam | F | 1,479 |
| 10 | Mancozeb | F | 1,385 |

Top 10 Publishable Pesticides Usage by Crop in 2020

| AQUATIC | | | |
|---------|-----------------------|------|--------------------------|
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Copper sulfate | F | 18,642 |
| 2 | Dipot. endothall | H | 5,074 |
| 3 | Chlorothalonil | F | 2,271 |
| 4 | Diquat dibromide | H | 1,417 |
| 5 | Flumioxazin | H | 1,362 |
| 6 | Copper ethanolamine | H | 1,264 |
| 7 | All Glyphosate | H | 372 |
| 8 | Imazapyr; iso. salt | H | 61 |
| 9 | Fluridone | H | 48 |

| RIGHTS OF WAY | | | |
|---------------|-----------------------|------|--------------------------|
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | All Glyphosate | H | 21,929 |
| 2 | All 2;4-D | H | 8,933 |
| 3 | Aminocyclopyrachlor | H | 3,629 |
| 4 | Sulfometuron methyl | H | 2,643 |
| 5 | Oryzalin | H | 1,025 |
| 6 | Indaziflam | O | 826 |
| 7 | Butoxyethyl triclopy | H | 244 |
| 8 | Pelargonic acid | O | 25 |
| 9 | Diquat dibromide | H | 17 |
| 10 | Prometon | H | 15 |

| REGULATORY | | | |
|------------|-----------------------|------|--------------------------|
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | All Glyphosate | H | 672 |
| 2 | Clopyralid mono salt | H | 598 |
| 3 | Imazapyr; iso. salt | H | 88 |
| 4 | Imazapic-ammonium | H | 61 |
| 5 | Fluazifop-P-butyl | H | 29 |
| 6 | Fenoxyprop-p-ethyl | H | 8 |

| OTHER | | | |
|-------|-----------------------|------|--------------------------|
| Rank | Pesticide Common Name | Type | Pounds Active Ingredient |
| 1 | Fipronil | I | 18,451 |

F = Fungicide

H =Herbicide

I = Insecticide

O = Other

Top 10 Publishable Pesticide Usage by County in 2020

| County | Active Ingredient | TYPE | Pounds of Active Ingredient |
|--------------|----------------------|------|-----------------------------|
| ALLEGANY | All 2;4-D | H | 2,324 |
| | All Glyphosate | H | 2,150 |
| | Bifenthrin | I | 463 |
| | Butoxyethyl triclopy | H | 186 |
| ANNE ARUNDEL | Chlorfenapyr | I | 82,079 |
| | All Glyphosate | H | 15,119 |
| | Bifenthrin | I | 12,775 |
| | Atrazine | H | 5,106 |
| | Fipronil | I | 3,086 |
| | S-Metolachlor | H | 2,273 |
| | Imidacloprid | I | 1,763 |
| | All 2;4-D | H | 1,708 |
| | Simazine | H | 1,631 |
| | Beta-cyfluthrin | I | 471 |
| BALTIMORE | Chlorothalonil | F | 18,462 |
| | All 2;4-D | H | 13,621 |
| | All Glyphosate | H | 8,088 |
| | Thiophanate-methyl | F | 6,031 |
| | S-Metolachlor | H | 2,420 |
| | Atrazine | H | 2,373 |
| | Propiconazole | F | 1,522 |
| | Fosetyl-al | F | 1,470 |
| | Prodiamine | H | 1,466 |
| | MCPP-P; DMA Salt | H | 1,394 |
| CALVERT | Atrazine | H | 6,089 |
| | All Glyphosate | H | 5,584 |
| | All 2;4-D | H | 4,789 |
| | MCPA; 2-ethylhexyl | H | 1,675 |
| | Butoxyethyl triclopy | H | 743 |
| | Prodiamine | H | 632 |
| | Bifenthrin | I | 575 |
| | Dicamba | H | 490 |
| | MCPP-P; DMA Salt | H | 403 |
| | Quinclorac | H | 395 |
| CAROLINE | All Glyphosate | H | 32,351 |
| | Atrazine | H | 24,649 |
| | S-Metolachlor | H | 11,823 |
| | All 2;4-D | H | 1,458 |
| | Butoxyethyl triclopy | H | 402 |
| | Prothioconazole | F | 241 |
| | Bifenthrin | I | 193 |
| | Glufosinate-ammonium | H | 190 |
| | Imidacloprid | I | 124 |
| | Clethodim | H | 111 |

Top 10 Publishable Pesticide Usage by County in 2020

| | | | |
|-------------------|----------------------|---|--------|
| CAROLINE | All Glyphosate | H | 43,977 |
| | Atrazine | H | 39,745 |
| | Paraquat | H | 38,082 |
| | All 2;4-D | H | 17,674 |
| | S-Metolachlor | H | 14,964 |
| | Pendimethalin | H | 13,387 |
| | Metolachlor | H | 9,921 |
| | Fipronil | I | 6,785 |
| | Tebuconazole | F | 6,349 |
| | Metribuzin | H | 2,962 |
| CECIL | All Glyphosate | H | 9,229 |
| | Atrazine | H | 1,709 |
| | S-Metolachlor | H | 1,231 |
| | Lambda-cyhalothrin | I | 1,165 |
| | Imidacloprid | I | 1,047 |
| | Chlorothalonil | F | 716 |
| | Bifenthrin | I | 90 |
| | Azoxystrobin | F | 89 |
| CHARLES | All Glyphosate | H | 1,401 |
| | Sulfur | F | 570 |
| | Mono-potassium salt | F | 553 |
| | Mancozeb | F | 405 |
| | Lambda-cyhalothrin | I | 147 |
| | Calcium polysulfide | F | 56 |
| | Fenhexamid | F | 40 |
| | Paraquat | H | 16 |
| | Mandipropamide Techn | F | 9 |
| | Difenoconazole | F | 9 |
| DORCHESTER | All Glyphosate | H | 26,883 |
| | Atrazine | H | 8,971 |
| | Pelargonic acid | O | 1,714 |
| | Bifenthrin | I | 1,481 |
| FREDERICK | All Glyphosate | H | 26,892 |
| | Sulfur | F | 20,430 |
| | All 2;4-D | H | 11,302 |
| | Atrazine | H | 11,087 |
| | Chlorothalonil | F | 9,915 |
| | S-Metolachlor | H | 9,266 |
| | Mono-potassium salt | F | 7,611 |
| | Copper hydroxide | F | 4,341 |
| | Imidacloprid | I | 1,968 |
| | Mineral oil | I | 1,959 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Top 10 Publishable Pesticide Usage by County in 2020

| | | | |
|-------------------|---------------------|---|--------|
| GARRETT | All Glyphosate | H | 14,111 |
| | Atrazine | H | 6,878 |
| | S-Metolachlor | H | 6,541 |
| | All 2;4-D | H | 2,723 |
| | Mesotrione | H | 517 |
| | Rimsulfuron | H | 3 |
| | | | |
| HARFORD | All Glyphosate | H | 22,896 |
| | S-Metolachlor | H | 5,858 |
| | Atrazine | H | 4,830 |
| | Paraquat | H | 3,488 |
| | All 2;4-D | H | 2,208 |
| | Mesotrione | H | 584 |
| | Simazine | H | 424 |
| | Bicyclopyrone | H | 140 |
| HOWARD | Fipronil | I | 11,787 |
| | Imidacloprid | I | 7,894 |
| | All Glyphosate | H | 3,114 |
| | Chlorothalonil | F | 1,609 |
| | Mancozeb | F | 1,515 |
| | All 2;4-D | H | 546 |
| | Thiophanate-methyl | F | 138 |
| | Carbaryl | I | 84 |
| | Mono-potassium salt | F | 60 |
| | Dicamba | H | 58 |
| | | | |
| KENT | All Glyphosate | H | 83,106 |
| | Atrazine | H | 44,202 |
| | S-Metolachlor | H | 33,867 |
| | Simazine | H | 19,320 |
| | All 2;4-D | H | 7,967 |
| | Propiconazole | F | 4,065 |
| | Mesotrione | H | 2,492 |
| | Metribuzin | H | 1,863 |
| | Azoxystrobin | F | 1,335 |
| | Lambda-cyhalothrin | I | 1,250 |
| | | | |
| MONTGOMERY | All Glyphosate | H | 57,296 |
| | S-Metolachlor | H | 45,690 |
| | Atrazine | H | 27,921 |
| | Paraquat | H | 19,507 |
| | Chlorothalonil | F | 11,225 |
| | All 2;4-D | H | 2,954 |
| | Lambda-cyhalothrin | I | 1,389 |
| | Thiophanate-methyl | F | 1,165 |
| | Sulfur | F | 1,108 |
| | Metribuzin | H | 931 |
| | | | |

Top 10 Publishable Pesticide Usage by County in 2020

| | | | |
|------------------------|--------------------|---|--------|
| PRINCE GEORGE'S | All Glyphosate | H | 4,261 |
| | Piperonyl butoxide | I | 1,851 |
| | Mineral oil | I | 1,592 |
| | Atrazine | H | 908 |
| | Chlorothalonil | F | 664 |
| | Flumioxazin | H | 292 |
| | Mancozeb | F | 234 |
| | Diquat dibromide | H | 209 |
| | All 2;4-D | H | 207 |
| | Pendimethalin | H | 173 |
| QUEEN ANNE'S | All Glyphosate | H | 7,289 |
| | Atrazine | H | 6,400 |
| | S-Metolachlor | H | 3,225 |
| | Pelargonic acid | O | 2,778 |
| | Mesotrione | H | 316 |
| | Lambda-cyhalothrin | I | 117 |
| ST. MARY'S | Fipronil | I | 18,453 |
| | All Glyphosate | H | 9,888 |
| | Atrazine | H | 5,661 |
| | Chlorothalonil | F | 2,637 |
| | All 2;4-D | H | 2,392 |
| | Imidacloprid | I | 1,149 |
| | Metribuzin | H | 975 |
| | Paraquat | H | 813 |
| | Metolachlor | H | 812 |
| | S-Metolachlor | H | 688 |
| SOMERSET | All Glyphosate | H | 28,367 |
| | Atrazine | H | 6,744 |
| | All 2;4-D | H | 5,200 |
| | S-Metolachlor | H | 4,111 |
| | Lambda-cyhalothrin | I | 210 |
| TALBOT | All Glyphosate | H | 46,740 |
| | Paraquat | H | 9,771 |
| | S-Metolachlor | H | 9,483 |
| | Atrazine | H | 8,970 |
| | Pelargonic acid | O | 4,173 |
| | Azoxystrobin | F | 3,900 |
| | All 2;4-D | H | 2,492 |
| | Sulfentrazone | H | 1,271 |
| | Bifenthrin | I | 836 |
| | Saflufenacil | H | 322 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Top 10 Publishable Pesticide Usage by County in 2020

Top 20 Publishable Pesticides in 2020 Compared to 2014, 2011, 2004, 2000

| Rank | Pesticide Common Name | Type | 2020 | 2014 | 2011 | 2004 | 2000 |
|------|-----------------------|------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | | | Total Amount Applied (lbs) |
| 1 | All Glyphosate | H | 565,481 | 634,954 | 721,154 | 2,821,085 | 950,269 |
| 2 | Atrazine | H | 270,656 | 256,548 | 381,321 | 1,109,475 | 618,515 |
| 3 | S-Metolachlor | H | 186,824 | 144,532 | 555,807 | 872,768 | 109,566 |
| 4 | All 2;4-D | H | 121,509 | 171,077 | 439,538 | 199,141 | 225,426 |
| 5 | Paraquat | H | 83,095 | 103,654 | 137,874 | 127,869 | 156,131 |
| 6 | Chlorfenapyr | I | 82,620 | 2,181 | - | - | - |
| 7 | Chlorothalonil | F | 77,692 | 119,158 | 61,069 | 1,529,493 | 115,194 |
| 8 | Simazine | H | 76,660 | 229,855 | 200,734 | 72,883 | 301,427 |
| 9 | Fipronil | I | 52,740 | 216,180 | 21,380 | 15,696 | 78 |
| 10 | Mineral oil | I | 33,140 | 60,981 | 141,270 | - | - |
| 11 | Sodium Percarbonate | F | 31,093 | 1,457 | - | - | - |
| 12 | Imidacloprid | I | 30,338 | 150,286 | 231,323 | 128,707 | 131,773 |
| 13 | Canola oil | H | 28,091 | 22 | - | - | - |
| 14 | Dicamba; dimet. salt | H | 27,935 | 6,401 | - | - | - |
| 15 | Sulfur | H | 25,761 | 7,105 | - | - | - |
| 16 | Pendimethalin | I | 25,659 | 154,511 | 30,957 | 51,682 | 533,715 |
| 17 | Bifenthrin | H | 25,047 | 20,355 | - | - | - |
| 18 | Metolachlor | H | 21,767 | 40,030 | - | 246,509 | 1,000,654 |
| 19 | Metribuzin | F | 20,198 | 6,027 | - | - | - |
| 20 | Copper sulfate | F | 18,665 | 6,716 | - | - | - |

| | |
|-----------------|--|
| F = Fungicide | |
| H =Herbicide | |
| I = Insecticide | |
| O = Other | |


Comparison of Pesticides Use Classes Reported in 2020, 2014, 2011, 2000, 1997

| Pesticide Class | | 2020 | 2014 | 2011 | 2004 | 2000 |
|---------------------|------------|-----------|-----------|------------|------------|------------|
| Total Usage | Pounds | 2,090,242 | 4,962,061 | 16,503,533 | 10,722,796 | 17,123,643 |
| Herbicides | Pounds | 1,558,424 | 2,299,757 | 3,406,867 | 6,310,097 | 4,619,656 |
| | % of Total | 75% | 46% | 21% | 59% | 27% |
| Insecticides | pounds | 272,388 | 2,143,238 | 831,769 | 875,511 | 1,104,249 |
| | % of Total | 13% | 43% | 5% | 8% | 6% |
| Fungicides | Pounds | 238,604 | 420,560 | 538,940 | 3,387,026 | 599,556 |
| | % of Total | 11% | 9% | 3% | 32% | 4% |
| Others 1 | Pounds | 20,826 | 98,506 | 11,725,957 | 150,162 | 10,800,182 |
| | % of Total | 1% | 2% | 71% | 1% | 63% |


1Includes Wood Preservatives, Antifoulants, Molluscicides, Repellents and Rodenticides

lbs

Total Pounds of Pesticide Used by Year



Percentage of Chemical Use by type, 2020



Top 10 Publishable Pesticides by Season in 2020

| SPRING | | |
|----------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| All Glyphosate | H | 268,665 |
| Atrazine | H | 249,276 |
| S-Metolachlor | H | 173,144 |
| Paraquat | H | 77,575 |
| All 2;4-D | H | 70,776 |
| Simazine | H | 65,754 |
| Dicamba; dimet. salt | H | 26,900 |
| Metrribuzin | H | 19,540 |
| Metolachlor | H | 19,128 |
| Mineral oil | I | 17,456 |

| SUMMER | | |
|-------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| All Glyphosate | H | 98,234 |
| Chlorothalonil | F | 46,214 |
| All 2;4-D | H | 18,812 |
| Copper sulfate | F | 18,642 |
| Atrazine | H | 12,862 |
| Pendimethalin | H | 10,302 |
| S-Metolachlor | H | 10,098 |
| Imidacloprid | I | 9,967 |
| Fomesafen Sodium | H | 7,954 |
| Dipot. endothall | H | 5,445 |

| FALL | | |
|----------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| All Glyphosate | H | 3,816 |
| Chlorothalonil | F | 3,139 |
| All 2;4-D | H | 2,177 |
| Paraquat | H | 1,980 |
| Dicamba; dimet. salt | H | 386 |
| Butoxyethyl triclopy | H | 366 |
| Tebuconazole | F | 320 |
| Quinclorac | H | 299 |
| Iprodione | F | 270 |
| Imazapyr; iso. salt | H | 134 |

| WINTER | | |
|-------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| All Glyphosate | H | 478 |
| Indaziflam | O | 19 |

| SPRING AND FALL | | |
|----------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| All 2;4-D | H | 6,090 |
| MCPA; 2-ethylhexyl | H | 3,415 |
| All Glyphosate | H | 1,883 |
| Imidacloprid | I | 752 |
| Butoxyethyl triclopy | H | 677 |
| Dicamba | H | 341 |
| Hexythiazox | I | 177 |

| ALL FOUR SEASONS | | |
|--------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| Fipronil | I | 38,570 |
| All Glyphosate | H | 23,225 |
| Chlorfenapyr | I | 21,376 |
| Bifenthrin | I | 12,993 |
| Chlorothalonil | F | 11,173 |
| Imidacloprid | I | 9,978 |
| Lambda-cyhalothrin | I | 1,169 |
| All 2;4-D | H | 960 |
| Beta-cyfluthrin | I | 837 |
| Deltamethrin | I | 797 |

| SPRING, SUMMER AND FALL | | |
|-------------------------|-------|----------------------------|
| Active Ingredient | Class | Total Amount Applied (lbs) |
| All Glyphosate | H | 169,180 |
| All 2;4-D | H | 22,325 |
| Sulfur | F | 21,586 |
| Fipronil | I | 13,483 |
| Chlorothalonil | F | 9,551 |
| Mono-potassium salt | F | 8,088 |
| Imidacloprid | I | 7,247 |
| Bifenthrin | I | 7,074 |
| Atrazine | H | 6,747 |
| Aminocyclopyrachlor | H | 3,629 |

F = Fungicide

H =Herbicide

I = Insecticide

O = Other

Top 10 Publishable Pesticide Usage by Type in 2020

| FUNGICIDES | | |
|------------|---------------------|----------------------------|
| Rank | Pesticide Common | Total Amount Applied (lbs) |
| 1 | Chlorothalonil | 77,692 |
| 2 | Sulfur | 25,761 |
| 3 | Copper sulfate | 18,665 |
| 4 | Mancozeb | 13,627 |
| 5 | Azoxystrobin | 13,046 |
| 6 | Mono-potassium salt | 10,287 |
| 7 | Tebuconazole | 9,025 |
| 8 | Thiophanate-methyl | 8,223 |
| 9 | Propiconazole | 8,176 |
| 10 | Fluopyram | 6,401 |

| HERBICIDES | | |
|------------|----------------------|----------------------------|
| Rank | Pesticide Common | Total Amount Applied (lbs) |
| 1 | All Glyphosate | 565,481 |
| 2 | Atrazine | 270,656 |
| 3 | S-Metolachlor | 186,824 |
| 4 | All 2,4-D | 121,509 |
| 5 | Paraquat | 83,095 |
| 6 | Simazine | 76,660 |
| 7 | Dicamba; dimet. salt | 27,935 |
| 8 | Pendimethalin | 25,659 |
| 9 | Metolachlor | 21,767 |
| 10 | Metribuzin | 20,198 |

| INSECTICIDES | | |
|--------------|--------------------|----------------------------|
| Rank | Pesticide Common | Total Amount Applied (lbs) |
| 1 | Chlorfenapyr | 82,620 |
| 2 | Fipronil | 52,740 |
| 3 | Mineral oil | 33,140 |
| 4 | Imidacloprid | 30,338 |
| 5 | Bifenthrin | 25,047 |
| 6 | Lambda-cyhalothrin | 10,917 |
| 7 | Permethrin | 6,625 |
| 8 | Beta-cyfluthrin | 4,475 |
| 9 | Dimethoate | 3,615 |
| 10 | Diazinon | 3,428 |

Top 10 Publishable Pesticide Usage by Type in 2020

| OTHER | | |
|-------|----------------------|----------------------------|
| Rank | Pesticide Common | Total Amount Applied (lbs) |
| 1 | Pelargonic acid | 11,664 |
| 2 | Ethephon | 2,337 |
| 3 | Trinexapac-ethyl | 2,269 |
| 4 | Sodium chlorate | 1,318 |
| 5 | Indaziflam | 909 |
| 6 | Reynoutria sachaline | 384 |
| 7 | Paclobutrazol | 241 |
| 8 | Alk. dim. benzyl 60% | 223 |
| 9 | Alk. dim. ethbz. am. | 223 |
| 10 | Hydrogen peroxide | 218 |

Integrated Pest Management (IPM)

| | Year | Never | Sometimes | ALMOST ALWAYS | Not Applicable |
|---|------|-------------|-----------|------------------|-------------------|
| | | percent (%) | | | |
| Monitoring Practices such as scouting for pests, soil testing, field mapping, etc. | 2020 | 13 | 19 | 28 | 22 |
| | 2014 | 14 | 14 | 54 | 18 |
| Avoidance practices such as crop rotation, alternate planting dates, companion cropping, trapping, etc. | 2020 | 13 | 28 | 40 | 19 |
| | 2014 | 12 | 17 | 52 | 19 |
| Preventative practices such as mowing, burning, chopping, tillage, etc. | 2020 | 11 | 15 | 52 | 22 |
| | 2014 | 10 | 25 | 52 | 13 |
| Suppression practices such as biological pesticides, mating disruptors, beneficial organisms, genetically modified products, etc. | 2020 | 12 | 15 | 52 | 22 |
| | 2014 | 33 | 19 | 28 | 20 |

FORMS,
QUESTIONNAIRE
and, SURVEY
RELATED
MATERIALS



Maryland Department of Agriculture

Office of Plant Industries and Pest Management

Larry Hogan, Governor

Boyd K. Rutherford, Lt. Governor

Joseph Bartenfelder, Secretary

Julianne A. Oberg, Deputy Secretary

Agriculture | Maryland's Leading Industry

Pesticide Regulation

The Wayne A. Cawley, Jr. Building

50 Harry S. Truman Parkway

Annapolis, Maryland 21401

www.mda.maryland.gov

410.841.5710 Baltimore/Washington

410.841.2765 Fax

800.492.5590 Toll Free

Dear Reporter:

I am writing to request your participation in the enclosed Maryland Department of Agriculture (MDA)/USDA National Agricultural Statistics Service (NASS) - Maryland Field Office 2020 Pesticide Usage Survey. MDA and NASS have conducted eight similar pesticide surveys between 1985 and 2014. This survey is the only comprehensive measure of pesticide use in Maryland and helps MDA develop the most appropriate programs for Maryland farmers and pest control operators.

With your cooperation, this survey will also provide information necessary for rational decisions regarding pesticide usage, laws and regulations. The survey results provide a reliable, source of public information for all members of our industry, as well as for industry representatives working with policy makers at the State and national levels.

Please complete the enclosed survey and the recertification information form and return it to NASS according to the instruction provided. Pesticides are a major input in the production of agricultural commodities; however, to keep the costs of using pesticides from exceeding the benefits, knowledge of the extent of their application is of utmost importance. Eligible applicators that complete the Pesticide Survey will obtain full credit towards their pesticide applicator certification.

If we do not hear from you by April 19, 2021, we will attempt to contact you to arrange a telephone interview.

Your participation is crucial, and your responses are confidential. We will never share your name or the name of your operation. The results of this survey will be available in aggregate form only, ensuring that no individual operation or producer can be identified, as required by federal law.

Thank you for your time and your assistance with this important project. If you have any questions about this survey, please contact Shareefah Williams at shareefah.williams@usda.gov or 301-347-8179.

Sincerely,

Joseph Bartenfelder, Secretary
Maryland Department of Agriculture



United States Department of Agriculture
National Agricultural Statistics Service
Maryland Field Office
Cooperating with the Maryland Department of Agriculture



**RE-CERTIFICATION
FULLCREDIT INFORMATION
MEETING NUMBER: 20210258**

OMB No. 0535-0218
Approval Expires: 11/30/2023

MD Certification ID Number: ()()()()()()

(Please PRINT name exactly as it appears on your registration card.)

Name: _____

Birth Date: (mm/dd/yy) _____ / _____ / _____

Address*: _____

*(only needed when applicator certification ID is unknown.)

Last 4 digits of the Social Security Number: _____

*(only needed when the applicator Certification ID is unknown)

CONFIDENTIALITY

All Maryland participants completing the 2020 Pesticide Survey and wishing to receive pesticide re-certification credit, must provide the above information. This is the same information asked for at a regular re-certification meeting.

By signing below, the certified applicator (or Enumerator agent) acknowledges that ONLY the information on this sheet will be given to the Maryland Department of Agriculture. And that the information will be used only for the purpose of granting a core re-certification credit. None of the actual survey data will be shared with that State agency.

Certified Applicator (or Enumerator) Signature*:

Signature

Date

The information you provide will be used for statistical purposes only. Your responses will be kept confidential and any person who willfully discloses ANY identifiable information about you or your operation is subject to a jail term, a fine, or both. This survey is conducted in accordance with the Confidential Information Protection provisions of Title V, Subtitle A, Public Law 107-347 and other applicable Federal laws. For more information on how we protect your information please visit: <https://www.nass.usda.gov/confidentiality>. Response to this survey is voluntary. According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number is 0535-0218. The time required to complete this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

MARYLAND PESTICIDE USAGE SURVEY - 2020

OMB No. 0535-0218
Approval Expires: 11/30/2023
Project Code: 970
Survey ID: 3785



United States
Department of
Agriculture



NATIONAL
AGRICULTURAL
STATISTICS
SERVICE

USDA/NASS
National Operations Division
9700 Page Avenue, Suite 400
St. Louis, MO 63132-1547
Phone: 1-888-424-7828
Fax: 1-855-415-3687
Email: nass@nass.usda.gov

Please make corrections to name, address, and ZIP Code, if necessary.

The information you provide will be used for statistical purposes only. Your responses will be kept confidential and any person who willfully discloses ANY identifiable information about you or your operation is subject to a jail term, a fine, or both. This survey is conducted in accordance with the Confidential Information Protection provisions of Title V, Subtitle A, Public Law 107-347 and other applicable Federal laws. For more information on how we protect your information please visit: <https://www.nass.usda.gov/confidentiality>. Response is voluntary.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB number is 0535-0218. The time required to complete this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

Please refer to the "Instruction Sheet" on Page 2 to aid in the completion of this survey.

1. Did you or your business or your agency apply pesticides in 2020?

0001 1 Yes - Go to Question 2.
3 No - Go to Page 11, Question 5.

2. Are you a commercial business?

0002 1 Yes - Go to Page 2 and complete the table for all pesticides that your business applied in 2020 for your customers.
3 No - Go to Question 3.

3. Are you a public agency?

0003 1 Yes - Go to Page 2 and complete the table for all pesticides that your business applied in 2020 by you or a designated applicator within your agency.
3 No - Go to Question 4.

4. Are you a farmer?

0004 1 Yes - Go to Page 2 and complete the table for all pesticides you personally applied in 2020 on property that you own or lease.
3 No - Go to Page 11, Question 5.

Maryland Pesticides Instructions

Pesticide: An herbicide, insecticide, fungicide, growth regulator, nematicide, fumigant, rodenticide, repellent, wood preservative, or any other material used to manage pests.

- Please report the pesticides you, your business, or your agency **applied in 2020** in the tables. Record the EPA number or chemical product name.
- Record the county and zip code where each pesticide was applied.
- Include only the pesticide portions of a tank mix.
- Report each chemical on a separate line, even if two chemicals were applied in combination. Specify the unit of measurement with the total quantity.

PLEASE DO NOT INCLUDE ANY PESTICIDES APPLIED BY A CONTRACTOR.

| Column 3 -- County Code |
|-------------------------|
| 1 Allegany |
| 3 Ann Arundel |
| 5 Baltimore |
| 6 Baltimore City |
| 9 Calvert |
| 11 Caroline |
| 13 Carroll |
| 15 Cecil |
| 17 Charles |
| 19 Dorchester |
| 21 Frederick |
| 23 Garrett |
| 25 Harford |
| 27 Howard |
| 29 Kent |
| 31 Montgomery |
| 33 Prince George's |
| 35 Queen Anne's |
| 37 St. Mary's |
| 39 Somerset |
| 41 Talbot |
| 43 Washington |
| 45 Wicomico |
| 47 Worcester |

| Column 12 -- Target Crop or Site Code |
|--|
| 1 Field Crops |
| 2 Fruit |
| 3 Vegetables |
| 4 Nursery/greenhouse - commercial |
| 5 Animal - Livestock and poultry |
| 6 Stored grain |
| 7 Forest |
| 8 Ornamental & lawns - interior and exterior landscapes |
| 9 Turf - production |
| 10 Seed treatment |
| 11 Aquatic |
| 12 Rights of way |
| 13 Industrial/Structural - incl. structural household pests, birds, rodents, industrial weed |
| 14 Fumigation - commodities, structures, grains |
| 15 Public Health |
| 16 Regulatory - PUBLIC AGENCIES ONLY |
| 17 Demonstration/Research |
| 18 Other - wood preservatives, sewer root control |

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 C o u n y N a m e | 3 C o d e (see instr. for codes) | 4 P e s i d e A p p l i e d EPA reg is tati on n u m b e r o r c h em i c al p ro d u ct n a m e n t a n k m i x ? | 5 P r o d u c t C o d e O f f i c e U s e | 6 W a s t h i s p a r t o f a t a n k m i x ? (If tank mix, enter line number of first product in mix.) | 7 T o t a l Q u a n t y o f P r o d u c t U s e d | 8 U n i t s: 1 = pound 12 = gallons 13 = quarts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 T o t a l A r e a o f P r o d u c t A p p l i e (i.e. acres, linear feet, or cubic) | 10 U n i t s: 1 = acres 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 W h e n w a s t h i s p r o d u c t a p p l i e d? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 W h a t w a s t h e t a r g e c r o p o r s i t e ?</br> (see instr. for codes) |
|----------------------------------|--|---|---|--|--|--|--|--|--|---|--|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |

**Table
001**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 C o u n y N a m e | 3 C o d e (see instr. for codes) | 4 P e s i c i d e A p p l i e d EPA reg is tration num ber or ch em ical prod uct na me | 5 P r o d u c t C o d e O f f i c e U s e | 6 W a s t h i s p a r t o f a t a n k m i x? (If tank mix, enter line number of first product in mix.) | 7 T o t a l Q u a n t y o f P r o d u c t U s e d | 8 U n i t s: 1 = p ound 12 = g allons 13 = q uarts 14 = p ints 15 = l iquid oz 28 = d ry oz 30 = g rams | 9 T o t a l A r e a o f P r o d u c t A p p l i e (i.e. a cres, l inear feet, o r cu bic) | 10 U n i t s: 1 = a cres 2 = l inear ft. 3 = cu bic ft. 4 = s quare ft 5 = bu shels 6 = he ad</br> | 11 W h e n w a s t h i s p r o d u c t a p p l i e d? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 W h a t w a s t h e t a r g e c r o p o r s i t e (see instr. for codes) | |
|----------------------------------|--|---|--|--|---|--|--|--|--|---|--|--|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |

**Table
002**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 C o u n y N a m e | 3 C o d e (see instr. for codes) | 4 P e s i d e A p p l i e d EPA reg is tati on n u m b e r o r c h em i c al p ro d u ct n a m e n t a n a m i x ? | 5 P r o d u c t C o d e O f f i c e U s e | 6 W a s t h i s p a r t o f a t a n k m i x ? (If tank mix, enter line number of first product in mix.) | 7 T o t a l Q u a n t y o f P r o d u c t U s e d | 8 U n i t s: 1 = pound 12 = gallons 13 = quarts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 T o t a l A r e a o f P r o d u c t A p p l i e (i.e. acres, linear feet, or cubic) | 10 U n i t s: 1 = acres 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 W h e n w a s t h i s p r o d u c t a p p l i e d ? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 W h a t w a s t h e t a r g e c r o p o r s i t e ?</br> (see instr. for codes) |
|----------------------------------|--|---|---|--|--|--|--|--|--|--|--|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |

**Table
003**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 County Name | 3 County Code (see instr. for codes) | 4 Pesticide Applied EPA registration number or chemical product name | 5 Product Code Office Use | 6 Was this part of a tank mix? (If tank mix, enter line number of first product in mix.) | 7 Total Quantity of Product Used | 8 Units: 1 = pound 12 = gallons 13 = quarts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 Total Area of Product Applied (i.e. acres, linear feet, or cubic) | 10 Units: 1 = acres 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 When was this product applied? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 What was the target crop or site? (see instr. |
|-----------------------|---------------------|--|--|---------------------------------------|---|---|--|---|--|---|---|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |

**Table
004**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 C o u n y N a m e | 3 C o d e (see instr. for codes) | 4 P e s i c i d e A p p l i e d EPA reg is tration num ber or ch em ical prod uct na me | 5 P r o d u c t C o d e O f f i c e U s e | 6 W a s t h i s p a r t o f a t a n k m i x? (If tank mix, enter line number of first product in mix.) | 7 T o t a l Q u a n t y o f P r o d u c t U s e d | 8 U n i t s: 1 = poun d 12 = gall ons 13 = quar ts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 T o t a l A r e a o f P r o d u c t A p p l i e (i.e. acres, linear feet, or cubic) ft bushels head | 10 U n i t s: 1 = acres 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 W h e n w a s t h i s p r o d u c t a p p l i e d? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 W h a t w a s t h e t a r g e c r o p o r s i t e? (see instr. for codes) | |
|----------------------------------|--|---|--|--|---|--|--|--|--|--|---|--|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |

**Table
005**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 County Name | 3 County Code (see instr. for codes) | 4 Pesticide Applied EPA registration number or chemical product name | 5 Product Code Office Use | 6 Was this part of a tank mix? (If tank mix, enter line number of first product in mix.) | 7 Total Quantity of Product Used | 8 Units: 1 = pound 12 = gallons 13 = quarts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 Total Area of Product Applied (i.e. acres, linear feet, or cubic) | 10 Units: 1 = acres 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 When was this product applied? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 What was the target crop or site? (see instr. |
|-----------------------|---------------------|--|--|---------------------------------------|---|---|--|---|--|---|---|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |

**Table
006**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 C o u n y N a m e | 3 C o d e (see instr. for codes) | 4 P e s i c i d e A p p l i e d EPA reg is tration num ber or ch em ical prod uct na me | 5 P r o d u c t C o d e O f f i c e U s e | 6 W a s t h i s p a r t o f a t a n k m i x? (If tank mix, enter line number of first product in mix.) | 7 T o t a l Q u a n t y o f P r o d u c t U s e d | 8 U n i t s: 1 = poun d 12 = gall ons 13 = quar ts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 T o t a l A r e a o f P r o d u c t A p p l i e (i.e. acres, linear feet, or cubic) | 10 U n i t s: 1 = acr es 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 W h e n w a s t h i s p r o d u c t a p p l i e d? 1. Spring 2. Summer 3. Fall 4. Winter 5. ALL four seasons 6. Spring and Fall 7. Spring, Summer and Fall | 12 W h a t w a s t h e t a r g e c r o p o r s i t e? (see instr. for codes) | |
|----------------------------------|--|---|--|--|---|--|--|--|---|--|---|--|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 | |

**Table
007**

**OFFICE USE
LINES IN TABLE**

0399

2020 Maryland Pesticide Usage Survey Pesticide Use

| 1 L I N E | 2 C o u n y N a m e | 3 C o d e (see instr. for codes) | 4 P e s i c i d e A p p l i e d EPA reg is tati on n u m b e r o r c h em i c al p ro d u ct n a m e n t a n a m i x ? | 5 P r o d u c t C o d e O f f i c e U s e | 6 W a s t h i s p a r t o f a t a n k m i x ? (If tank mix, enter line number of first product in mix.) | 7 T o t a l Q u a n t y o f P r o d u c t U s e d | 8 U n i t s: 1 = pound 12 = gallons 13 = quarts 14 = pints 15 = liquid oz 28 = dry oz 30 = grams | 9 T o t a l A r e a o f P r o d u c t A p p l i e (i.e. acres, linear feet, or cubic) | 10 U n i t s: 1 = acres 2 = linear ft. 3 = cubic ft. 4 = square ft 5 = bushels 6 = head | 11 W h e n w a s t h i s p r o d u c t a p p l i e d? 1. Spring 2. Summer 3. Fall 4. Winter | 12 W h a t w a s t h e t a r g e c r o p o r s i t e ?</br> |
|----------------------------------|--|---|---|--|--|--|--|--|--|--|---|
| 01 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 02 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 03 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 04 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 05 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 06 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 07 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 08 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 09 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 10 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 11 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 12 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 13 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 14 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 15 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 16 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 17 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 18 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 19 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 20 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 21 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |
| 22 | | 60 | | 61 | 63 | 73 | 74 | 68 | 69 | 64 | 71 |

**Table
008**

**OFFICE USE
LINES IN TABLE**

0399

5. Were any pesticides applied for you by a contractor in 2020?

0005 1 Yes
2 No

FARMERS: Please complete the following.

Integrated Pest Management (IPM) is a long-standing science-based, decisions making process that identifies and reduces risks from pests and pest management related strategies. It coordinates the use of pest biology, environmental information, and available technology to prevent unacceptable levels of pest damage by the most economical means, while posing the least possible risk to people, property, resources, and the environment. IPM provides an effective strategy for managing pests in all arenas from developed residential and public areas to wild lands. IPM serves as an umbrella to provide an effective, all encompassing, low-risk approach to protect resources and people from pests.

Please refer to the definition of Integrated Pest Management (above) when answering questions 6 to 9. Check the appropriate box for each question.

| | Never | Sometimes | Almost Always | Not Applicable |
|---|----------------------------|----------------------------|----------------------------|----------------------------|
| 0006 6. Do you use resources before making pest control decisions? (i.e. scouting, Soil testing, field mapping, predictive models, pest thresholds, etc.) | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> |
| 0007 7. Do you use preventive measures to avoid pest outbreaks? (i.e. Crop rotation, ground covers/mulches, physical barriers, adjustment of plant/harvest dates, adjustment of plant density, resistance varieties, companion cropping, trapping, etc.) | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> |
| 0008 8. Do you use mechanical practices for pest control? (i.e. mowing, burning, chopping, tillage, etc.) | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> |
| 0009 9. Do you use products, such as the ones listed below, for pest control? Biological pesticide, Mating Disruptors, Beneficial Organisms (insects, nematodes, pathogens), Genetically modified products (Glyphosphate – resistant soybeans, Bt corn), Dicamba Soybean resistant. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> |

10. SURVEY RESULTS: To receive the complete results of this survey on the release date, go to
<https://www.nass.usda.gov/results>

To have a brief summary emailed to you, please enter your email address:

Operation Email (if different from above)

Operation Phone:

| | | |
|------|-------------|--|
| 9937 | 9936 () | check if cell phone <input type="checkbox"/> |
|------|-------------|--|

Respondent Name:

Respondent Phone (if different from above)

| | | | | | | |
|------|-------------|--|---------------|----|----|----|
| 9912 | 9911 () | check if cell phone <input type="checkbox"/> | 9910 Date: | MM | DD | YY |
|------|-------------|--|---------------|----|----|----|

This completes the survey. Thank you for your help.

MARYLAND PESTICIDE STATISTICS for 2020

Issued cooperatively by

Maryland Department of Agriculture
Joseph Bartenfelder, Secretary
Julie Oberg, Deputy Secretary

U. S. Department of Agriculture
National Agricultural Statistics Service
Hubert Hamer, Administrator

U.S. Department of Agriculture National Agricultural Statistics Service
Maryland Field Office Shareefah Williams, State Statistician

Survey Conducted and Compiled by: Northeastern Regional staff,
and phone enumerators.

Questionnaire Design by: Quonda Fayorsey.

Edit and summary conducted by: Northeastern Regional staff, Kim Nielsen,
Jennifer Rhorer, and Dana Butler.

In consultation with Maryland Department of Agriculture
Pesticide Regulation Section, Rob Hofstetter, Program Manager, Kelly Love, Agricultural Inspector,
and State Chemist Section, Tom Phillips, Program Manager

PUBLISHED December 2021

Maryland Pesticide Regulation Section

The Pesticide Regulation Section administers Maryland's Pesticide Applicator's Law, approves training courses in the handling, storage and use of pesticides, conducts examinations to determine that pesticide applicators are competent to follow prescribed pest control practices, enforces federal laws on the sale and use of pesticides, and investigates pesticide accidents or incidents and consumer complaints on pesticide misuse. To find out more, call Pesticide Regulation at (410) 841-5710.

WHY SHOULD I RESPOND TO THIS SURVEY?

The Maryland Pesticide Survey has been conducted since 1985, this survey is the only comprehensive measure of pesticide use in Maryland. The results from the survey helps the Maryland Department of Agriculture (MDA) develop appropriate programs for Maryland farmers and pest control operators. This survey also provides information necessary for rational decisions regarding pesticide usage, laws, and regulations. The survey results provide a reliable, source of public information for all members of our industry, as well as for industry representatives working with policy makers at the State and national levels.

Eligible applicators that completed the 2020 Pesticide Survey obtained full credit towards their pesticide applicator certification. Plans are in place to offer this incentive again for the next survey cycle. The National Agricultural Statistics Service (NASS) is committed to preserving the confidentiality of respondent's identities by protecting information that could be used to identify individual respondents. The results of this survey will be available in aggregate form only, ensuring that no individual operation or producer can be identified, as required by federal law. For more information about NASS's confidentiality Pledge please go to the following website (USDA - National Agricultural Statistics Service - About NASS - Confidentiality Pledge).