

| TEST                                                                       | IN STATE FEE | OUT OF STATE FEE | SECTION        | SAMPLE                                                               | COMMENTS   |
|----------------------------------------------------------------------------|--------------|------------------|----------------|----------------------------------------------------------------------|------------|
| Acid Fast Stain                                                            | 9.00         | 18.00            | Bact           | Swab, tissue, smear on slide                                         | FAHL, SAHL |
| Aerobic Culture & ID, Avian                                                | 15.00        | 30.00            | Bact           | Swab, tissue                                                         | FAHL, SAHL |
| Aerobic Culture & ID, farm animal only                                     | 15.00        | 30.00            | Bact           | Swab, tissue, milk                                                   | FAHL, SAHL |
| Anaerobic Culture & ID, Avian                                              | 24.00        | 48.00            | Bact           | Swab, tissue                                                         | FAHL, SAHL |
| Anaerobic Culture, farm animal only                                        | 14.50        | 29.00            | Bact           | Swab, tissue, milk                                                   | FAHL, SAHL |
| Anaplasmosis cELISA, Bov only                                              | 8.00         | 16.00            | Serology       | 2 ml serum/7--10 ml whole blood                                      | FAHL       |
| Animal Disposal farm animal only                                           | \$0.50 / lb  | \$1.00 / lb      | Necropsy       | Carcass                                                              | FAHL       |
| Antibiotic Sensitivity                                                     | 12.00        | 24.00            | Bact           | Where appropriate w/bact culture                                     | FAHL, SAHL |
| Avian Encephalomyelitis ELISA                                              | 1.75         | 3.50             | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>                 | SAHL       |
| Avian Influenza AGID                                                       | N/C          | 2.50             | Serology       | Serum 0.5ml                                                          | SAHL       |
| Avian Influenza Antigen Capture (Commercial)                               | N/C          | 12.00            | Immunodiag     | Swab (trachea/oropharyngeal)- <b>contact lab prior to submission</b> | FAHL, SAHL |
| Avian Influenza ELISA                                                      | N/C          | 3.00             | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>                 | SAHL       |
| Avian Influenza H5/H7 rRT-PCR (avian)                                      | N/C          | 35.00            | Molecular Diag | Swab (trachea/oropharyngeal or cloacal)                              | SAHL, FAHL |
| Avian Influenza rRT-PCR (Other Waterfowl)                                  | N/C          | 35.00            | Molecular Diag | Swab (cloacal) other than Domestic Ducks and Domestic Geese          | FAHL, SAHL |
| Avian Influenza rRT-PCR (other)                                            | N/C          | 35.00            | Molecular Diag | <b>Contact lab prior to submission</b>                               | FAHL, SAHL |
| Avian Influenza rRT-PCR (poultry)                                          | N/C          | 35.00            | Molecular Diag | Swab (trachea/oropharyngeal) Gallinaceous (poultry)                  | SAHL, FAHL |
| Avian Influenza rRT-PCR (ratites)                                          | N/C          | 35.00            | Molecular Diag | Swab (trachea/oropharyngeal,cloacal) Ratites (emu, ostrich)          | FAHL, SAHL |
| Avian Influenza rRT-PCR (waterfowl) Domestic Ducks and Domestic Geese Only | N/C          | 35.00            | Molecular Diag | Swab (cloacal) Anseriformes (waterfowl)                              | FAHL, SAHL |
| Avian Influenza rRT-PCR Export or other non-surveillance testing           | 24.00        | 48.00            | Molecular Diag | Swab (trachea/oropharyngeal or cloacal)                              | SAHL, FAHL |
| Bacterial Culture                                                          |              |                  |                | See Aerobic or Anaerobic                                             |            |
| Bacterial Culture ID -farm animal only                                     | 14.50        | 29.00            | Bact           | Isolate                                                              | FAHL, SAHL |
| Biopsy, See Histopathology farm animal only                                |              |                  | Histology      | Tissue in 10% buffered formalin                                      |            |
| Black Leg Screen                                                           |              |                  |                | See FA for Clostridium....                                           |            |
| Blood Chemistry                                                            | Send out     | Send out         | Send out       | Blood, serum                                                         | ANTECH     |
| Bluetongue AGID (Ruminant)                                                 | Send out     | Send out         | Send out       | 2 ml serum/7--10 ml whole blood                                      | Cornell    |
| Bluetongue cELISA                                                          | 8.00         | 25.00            | Serology       | 2ml serum/7--10 ml whole blood                                       | FAHL       |
| Bovine Coronavirus FA                                                      | Send out     | Send out         | Send out       | Intestine tissue, nasal or pharyngeal swab, tracheal wash etc.       | Cornell    |
| Bovine Leukosis/ BLV ELISA                                                 | 10.00        | 20.00            | Serology       | 2ml serum/7 --10 ml whole blood                                      | FAHL       |
| Bovine Leukosis/BLV AGID                                                   | 5.00         | 10.00            | Serology       | 2 ml serum/7 --10 ml whole blood                                     | FAHL       |
| Bovine Respiratory Syncytial Virus (BRSV) FA                               | Send out     | Send out         | Send out       | Tracheal wash,broncho-alveolar lavage,upper airway or lung tissue    | Cornell    |
| Bovine Spongiform Encephalopathy                                           | Send out     | Send out         | Send out       | Brain stem                                                           | NVSL       |
| Brucella abortus BAPA                                                      | N/C          | 2.00             | Serology       | 2 ml serum/7--10 ml whole blood                                      | FAHL       |
| Brucella abortus Milk Ring Test                                            | Send out     | Send out         | Send out       | Milk 2 ml minimum                                                    | NVSL       |
| Brucella abortus Card                                                      | N/C          | N/C              | Serology       | 2 ml serum/7--10 ml whole blood                                      | FAHL       |
| Brucella melitensis 3% Card                                                | Send out     | Send out         | Send out       | 2 ml serum/7--10 ml whole blood                                      | NVSL       |
| Brucella ovis CF                                                           | Send out     | Send out         | Send out       | 2 ml serum/7--10 ml whole blood                                      | NVSL       |
| Brucella ovis ELISA                                                        | Send out     | Send out         | Send out       | 2 ml serum/7--10 ml whole blood                                      | NVSL       |
| Brucella abortus Rivanol                                                   | N/C          | N/C              | Serology       | 2 ml serum/7 --10 ml whole blood                                     | FAHL       |
| Brucella abortus Tube/Plate                                                | N/C          | 5.00             | Serology       | 2 ml serum/7 --10 ml whole blood                                     | FAHL       |
| BVDV Antigen Capture ELISA (ACE)                                           | Send out     | Send out         | Send out       | 1 ml serum, milk, fresh ear notch/skin biopsy                        | Cornell    |
| BVDV PCR                                                                   | Send out     | Send out         | Send out       | 2ml EDTA blood,plasma,serum, 5g tissue, 50ml milk                    | Cornell    |
| BVD ear notch                                                              |              |                  |                | See BVDV Antigen Capture ELISA (ACE)                                 |            |
| CAE (cELISA)                                                               | 5.00         | 10.00            | Serology       | 2 ml serum/7 - -10 ml whole blood                                    | FAHL       |
| CAE/OPP (AGID)                                                             | Send out     | Send out         | Send out       | 2 ml serum/7--10 ml whole blood                                      | Cornell    |
| Candida culture                                                            | 14.50        | 29.00            | Bact           | Swab, tissue, milk                                                   | FAHL, SAHL |
| Caprine Arteritis Encephalitis                                             |              |                  |                | See CAE                                                              |            |
| CAV ELISA                                                                  | 1.75         | 3.50             | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>                 | SAHL       |
| CBC, CBC with differential                                                 | Send out     | Send out         | Send out       | Blood, serum                                                         | ANTECH     |

|                                                                          |                |                |                |                                                                      |                                |
|--------------------------------------------------------------------------|----------------|----------------|----------------|----------------------------------------------------------------------|--------------------------------|
| CEM Culture, prior arrangement                                           | Prior approval | Prior approval | Bact           | <b>Contact lab prior to submission @ 301-600-1548</b>                | FAHL                           |
| Chronic Wasting Disease (CWD)                                            | Send out       | Send out       | send out       | Brain stem                                                           | NVSL, SCWDS                    |
| Clostridium gram stain                                                   | 16.00          | 32.00          | Bact           | Impression smear                                                     | FAHL, SAHL                     |
| Clostridium culture                                                      | 18.00          | 36.00          | Bact           | Tissue, Intestinal contents                                          | FAHL                           |
| Coccidia check (includes flock sample collection but not necropsy) Avian | 20.00          | 40.00          | Parasitol      | Carcass                                                              | FAHL, SAHL                     |
| Coccidia ID, farm animal only                                            | 8.00           | 16.00          | Parasitol      | Fecal                                                                | FAHL                           |
| Crypto/Giardia                                                           | 13.75          | 27.50          | Virology       | Feces -all species                                                   | FAHL                           |
| Direct Smear Staining, Avian (no culture)                                | 4.00           | 8.00           | Bact           | Tissue, Blood                                                        | SAHL                           |
| Disposal of carcass farm animal only                                     | \$0.50/lb      | \$1.00/lb      |                | See animal disposal                                                  | FAHL                           |
| Eastern Equine Encephalitis (EEE)                                        | Send out       | Send out       | Send out       | <b>Contact lab prior to submission.</b>                              | MDH+F29                        |
| EIA AGID or ELISA                                                        | *****6.5       | *****13        | Serology       | 2 ml serum; 7 --10 ml whole blood                                    | FAHL, SAHL                     |
| EIA ELISA (STAT)                                                         | *****40        | *****80        | Serology       | 2 ml serum                                                           | FAHL                           |
| EIA Forms                                                                | N/C            | N/C            | Admin          |                                                                      | FAHL, SAHL, HQ                 |
| Entomology Identification                                                | N/C            | N/C            | Entomol        | Eggs,immature,&adult insects- <b>contact lab prior to submission</b> | MDA Plant Protection,Annapolis |
| Entomology Identification                                                | N/C            | N/C            | Entomol        | Arachnids, ticks, mites - <b>contact lab prior to submission</b>     | MDA Plant Protection,Annapolis |
| Equine Herpes EHV-1 PCR                                                  | 20.00          | 40.00          | Virology       | <b>Contact lab prior to submission.</b>                              | FAHL                           |
| Equine Herpes EHV-1 FA                                                   | Send out       | Send out       | Send out       | <b>Contact lab prior to submission or see Cornell website</b>        | Cornell                        |
| Equine Herpes Virus FAT (abortion)                                       | 13.75          | 27.50          | Virology       | Tissue -equine                                                       | FAHL                           |
| Exotic Newcastle rRT-PCR                                                 | N/C            | N/C            | Molecular Diag | Swab (trachea/oropharyngeal)                                         | FAHL, SAHL                     |
| F.A. for Clostridium chauvoei                                            | 13.75          | 27.50          | Virology       | Tissue-all ruminants                                                 | FAHL                           |
| F.A. for Clostridium novyi                                               | 13.75          | 27.50          | Virology       | Tissue-all ruminants                                                 | FAHL                           |
| F.A. for Clostridium sordellii                                           | 13.75          | 27.50          | Virology       | Tissue -all ruminants                                                | FAHL                           |
| F.A. for Clostridium septicum                                            | 13.75          | 27.50          | Virology       | Tissue -all ruminants                                                | FAHL                           |
| F.A. for Transmissible gastroenteritis (TGE) (Por)                       | Send out       | Send out       | Send out       | Fresh ileum,jejunum,cecum,or lung                                    | Cornell                        |
| Fecal Baerman (Lungworm) farm animal only                                | 14.50          | 29.00          | Parasitol      | 2-5 gms feces                                                        | FAHL                           |
| Fecal culture farm animal only                                           | 13.75          | 27.50          | Bact           | Feces                                                                | FAHL, SAHL                     |
| Fecal Exam Direct farm animal only                                       | 4.00           | 8.00           | Parasitol      | 5-20 gms feces                                                       | SAHL                           |
| Fecal Floatation (Qualitative)                                           | 8.00           | 16.00          | Parasitol      | 4 gms feces                                                          | FAHL, SAHL                     |
| Fecal Parasite (Quantitative) McMaster                                   | 12.50          | 29.00          | Parasitol      | 4 gms feces                                                          | FAHL, SAHL                     |
| Fecal Occult Blood                                                       | 16.00          | 32.00          | Clin Path      | Feces                                                                | FAHL                           |
| Fungal cultures, Avian                                                   | 12.00          | 24.00          | Mycology       | Skin scrapings, tissue                                               | SAHL                           |
| Fungal cultures, farm animal only                                        | 12.00          | 24.00          | Mycology       | Hair, skin scrapings, tissue                                         | FAHL, SAHL                     |
| Giardia Antigen Assay                                                    |                |                |                | See Crypto/Giardia                                                   | FAHL                           |
| Histo multiple tissues farm animal only                                  | Send out       | Send out       | Send out       | Tissue in 10% buffered formalin                                      | TVMDL, ANTECH                  |
| Histo prep (H&E) and micro analysis, Avian                               | Send out**     | Send out**     | Send out**     | Tissue in 10% buffered formalin                                      | TVMDL, ANTECH, UDE             |
| Histopathology/Biopsy (single tissue) farm animal only                   | Send out       | Send out       | Send out       | Tissue in 10% buffered formalin                                      | TVMDL, ANTECH                  |
| Infectious Bronchitis Virus (IBV) ELISA                                  | 1.75           | 3.50           | Serology       | Serum 0.5ml                                                          | SAHL                           |
| Infectious Bronchitis Virus (IBV) rRT-PCR                                | 16.00          | 32.00          | Molecular Diag | Swab (trachea/oropharyngeal)                                         | SAHL                           |
| Infectious Bronchitis Virus (IBV) Primers (4)                            | 24.00          | 48.00          | Molecular Diag | Swab (trachea/oropharyngeal)                                         | SAHL                           |
| Infectious Bronchitis Virus (IBV) Primer (1)                             | 11.00          | 22.00          | Molecular Diag | Swab (trachea/oropharyngeal)                                         | SAHL                           |
| Infectious Bronchitis Virus (IBV) Sequencing Panel                       | 32.00          | 64.00          | Molecular Diag | Swab (trachea/oropharyngeal)                                         | SAHL                           |
| Infectious Bursal Disease (IBD) ELISA                                    | 1.75           | 3.50           | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>                 | SAHL                           |
| Infectious Laryngotracheitis Virus (ILT) rT-PCR                          | 24.00          | 48.00          | Molecular Diag | Swab (trachea/oropharyngeal)                                         | SAHL                           |
| Insect Identification                                                    |                |                |                | See Entomology                                                       |                                |
| Johne's AGID (Camelid & Cervidae)                                        | Send out       | Send out       | Send out       | 2 ml serum/7--10 ml blood                                            | Cornell                        |
| Johne's CF                                                               | Send out       | Send out       | Send out       | 2 ml serum                                                           | Cornell                        |
| Johne's (Bov) ELISA not in program                                       | 5.00           | 10.00          | Serology       | 2 ml serum/7--10 ml blood                                            | FAHL                           |
| Johne's (Bov) ELISA in program                                           | 3.75           | N/A            | Serology       | 2 ml serum/7--10 ml blood                                            | FAHL                           |
| Johne's (Cap) ELISA not in program                                       | 5.00           | 10.00          | Serology       | 2 ml serum/7--10 ml blood                                            | FAHL                           |
| Johne's (Bov)fecal PCR in program                                        | 8.00           | N/A            | Bact           | 5-20 gms of feces                                                    | FAHL                           |

|                                                                                                                                                                                                                             |          |          |                |                                                                |                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|----------------|----------------------------------------------------------------|---------------------------------------------------------|
| Johne's (Bov)fecal PCR not in program                                                                                                                                                                                       | 20.00    | 40.00    | Bact           | 5-20 gms of feces                                              | FAHL                                                    |
| Leptospira FA                                                                                                                                                                                                               | Send out | Send out | Send out       | Tissue                                                         | Cornell                                                 |
| Listeria Culture, farm animal                                                                                                                                                                                               | 14.50    | 29.00    | Bact           | Tissue                                                         | FAHL                                                    |
| Litter analysis                                                                                                                                                                                                             | 40.00    | 80.00    | Bact           | Litter sample                                                  | SAHL                                                    |
| Lyme Disease Equine                                                                                                                                                                                                         | Send out | Send out | Serology       | 2 ml serum/7 --10 ml whole blood                               | Cornell                                                 |
| Mastitis Culture                                                                                                                                                                                                            | 1.75     | 6.00     | Bact           | Milk                                                           | FAHL                                                    |
| Mycoplasma gallisepticum ELISA                                                                                                                                                                                              | 1.75     | 3.50     | Serology       | Serum 0.5ml                                                    | SAHL                                                    |
| Mycoplasma gallisepticum HI                                                                                                                                                                                                 | 1.00     | 2.00     | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>           | SAHL                                                    |
| Mycoplasma gallisepticum rapid agglutination plate                                                                                                                                                                          | 0.50     | 1.00     | Serology       | Serum 0.5ml                                                    | SAHL                                                    |
| Mycoplasma gallisepticum rRT-PCR                                                                                                                                                                                            | 24.00    | 48.00    | Molecular Diag | Swab (trachea/oropharyngeal)                                   | SAHL                                                    |
| Mycoplasma gallisepticum rRT-PCR (addon to Resp Panel)                                                                                                                                                                      | 10.00    | 20.00    | Molecular Diag | Swab (trachea/oropharyngeal)                                   | SAHL                                                    |
| Mycoplasma meleagridis rapid agglutination plate                                                                                                                                                                            | 1.00     | 2.00     | Serology       | Serum 0.5ml                                                    | SAHL                                                    |
| Mycoplasma milk PCR                                                                                                                                                                                                         | Send out | Send out | Send out       | Milk                                                           | PA State                                                |
| Mycoplasma synoviae ELISA                                                                                                                                                                                                   | 1.75     | 3.50     | Serology       | Serum 0.5ml                                                    | SAHL                                                    |
| Mycoplasma synoviae HI                                                                                                                                                                                                      | 1.00     | 2.00     | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>           | SAHL                                                    |
| Mycoplasma synoviae rapid agglutination plate                                                                                                                                                                               | 1.00     | 2.00     | Serology       | Serum 0.5ml                                                    | SAHL                                                    |
| Mycoplasma synoviae rRT-PCR                                                                                                                                                                                                 | 24.00    | 48.00    | Molecular Diag | Swab (trachea/oropharyngeal)                                   | SAHL                                                    |
| Mycoplasma synoviae rRT-PCR (addon to Resp Panel)                                                                                                                                                                           | 10.00    | 20.00    | Molecular Diag | Swab (trachea/oropharyngeal)                                   | SAHL                                                    |
| Necropsy with insurance claim                                                                                                                                                                                               | *300.00  | *600.00  | Necropsy       | Carcass                                                        | FAHL * disposal fee is additional                       |
| Necropsy with Spinal Cord removal                                                                                                                                                                                           | *400.00  | *800.00  | Necropsy       | Carcass                                                        | FAHL * disposal fee is additional                       |
| <b>Necropsy, avian, Backyard Flock Elective</b> - includes all basic in house tests plus molecular testing as determined by pathologist. (Charge per bird)                                                                  | 12.00    | 24.00    | Necropsy       | Carcass                                                        | FAHL, SAHL                                              |
| <b>Necropsy, avian, Backyard Flock High Mortality</b> (MDA to determine if qualifies) incl all basic in-house tests as determined by pathologist; elective tests will be charged as fee for service.(up to 11 birds/flock)  | N/C      | 115.00   | Necropsy       | Carcass                                                        | FAHL, SAHL                                              |
| <b>Necropsy, avian, managed wildlife</b> - zoos, private collections. Includes all in-house tests plus any molecular testing as determined by pathologist.                                                                  | 80.00    | 160.00   | Necropsy       | Carcass                                                        | FAHL, SAHL                                              |
| <b>Necropsy, avian, pet bird</b> - includes all in-house tests plus any molecular testing as determined by pathologist                                                                                                      | 120.00   | 240.00   | Necropsy       | Carcass                                                        | FAHL, SAHL                                              |
| <b>Necropsy, avian, wildlife</b> - includes all in-house tests plus any molecular testing as determined by pathologist                                                                                                      | N/C      | 160.00   | Necropsy       | Carcass <b>contact MD Dept Natural Resources (410)226-5193</b> | FAHL, SAHL *disposal fee is additional for out of state |
| <b>Necropsy, Commercial Poultry AI Surveillance High Mortality (≥3/1000 mortality)</b> - includes all in house tests as determined by pathologist; elective tests will be charged as fee for service (up to 11 birds/flock) | N/C      | 115.00   | Necropsy       | Carcass                                                        | FAHL, SAHL                                              |
| <b>Necropsy, Commercial Poultry Basic Elective (&lt;3/1000 mortality)</b> - includes all basic in house tests as determined by pathologist except molecular testing. (up to 11 birds/flock)                                 | 28.00    | 56.00    | Necropsy       | Carcass                                                        | FAHL, SAHL                                              |

|                                                                                                                                                                                            |               |                |                |                                                                   |                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|----------------|-------------------------------------------------------------------|------------------------------------------|
| <b>Necropsy, Commercial Poultry Enhanced Elective (&lt;3/1000 mortality)</b> - includes all in-house tests plus any molecular testing as determined by pathologist) (up to 11 birds/flock) | 60.00         | 120.00         | Necropsy       | Carcass                                                           | FAHL, SAHL                               |
| Necropsy, deer                                                                                                                                                                             | *100.00       | *200.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy, equine over 300lbs                                                                                                                                                               | *220.00       | *440.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy-equine under 300lbs (inc fetus)                                                                                                                                                   | *100.00       | *200.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy, food animals* over 300 lbs                                                                                                                                                       | 140.00        | *280           | Necropsy       | Carcass                                                           | FAHL*dispos fee additional on outofstate |
| Necropsy, food animals* under 300 lbs (inc fetus)                                                                                                                                          | 100.00        | *200           | Necropsy       | Carcass                                                           | FAHL*dispos fee additional on outofstate |
| Necropsy, llama, alpaca over 250 lbs                                                                                                                                                       | *220.00       | *440.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy, llama, alpaca under 250 lbs (inc fetus)                                                                                                                                          | *100.00       | *200.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy, managed animals                                                                                                                                                                  | *160.00       | *320.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy, Ratite over 250 lbs                                                                                                                                                              | *220.00       | *440.00        | Necropsy       | Carcass                                                           | FAHL, SAHL *disposal fee is additional   |
| Necropsy, Ratite under 250 lbs (inc fetus)                                                                                                                                                 | *100.00       | *200.00        | Necropsy       | Carcass                                                           | FAHL, SAHL *disposal fee is additional   |
| Necropsy, WV Food Animals* over 250 lbs                                                                                                                                                    | N/A           | *175.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Necropsy, WV Food Animal* under 250 lbs (inc fetus)                                                                                                                                        | N/A           | *125.00        | Necropsy       | Carcass                                                           | FAHL * disposal fee is additional        |
| Neospora ELISA                                                                                                                                                                             | 5.00          | 10.00          | Serology       | Serum 2 ml                                                        | FAHL                                     |
| Newcastle Disease Virus (NDV) ELISA                                                                                                                                                        | 1.75          | 3.50           | Serology       | Serum 0.5ml                                                       | SAHL                                     |
| Newcastle Disease Virus (NDV) - Avian Paramyxovirus-                                                                                                                                       | 24.00         | 48.00          | Molecular Diag | Swab (trachea/oropharyngeal cloacal)                              | SAHL, FAHL                               |
| NPIP Certification                                                                                                                                                                         |               |                | MDA HQ         | Contact MDA Headquarters - (410)841-5810                          | MDA HQ                                   |
| ORT ELISA                                                                                                                                                                                  | 2.00          | 4.00           | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>              | SAHL                                     |
| ORT RT-PCR                                                                                                                                                                                 | 20.00         | 40.00          | Molecular Diag | Swab (tracheal) - Charge per tube                                 | SAHL                                     |
| Porcine Parvovirus FA                                                                                                                                                                      | Send out      | Send out       | Send out       | Fresh fetal lung, intestine, lymph nodes, spleen                  | Iowa State                               |
| Pseudorabies gI ELISA                                                                                                                                                                      | Send out      | Send out       | Send out       | Serum 2ml                                                         | PADLS - PA                               |
| Pseudorabies gB ELISA                                                                                                                                                                      | Send out      | Send out       | Send out       | Serum 2ml                                                         | Iowa State                               |
| Pullorum-plate (Salmonella)                                                                                                                                                                | 0.30          | 0.60           | Serology       | Serum 0.5ml                                                       | SAHL                                     |
| Rabies, human exposure FA                                                                                                                                                                  | N/C           | N/C            | Send out       | Fresh brain, head, carcass (not frozen)                           | MDH                                      |
| Rabies, non-human exposure FA                                                                                                                                                              | N/C           | N/C            | Virology       | Fresh brain, head, carcass (not frozen)                           | FAHL, SAHL                               |
| Reovirus, avian ELISA                                                                                                                                                                      | 1.75          | 3.50           | Serology       | Serum 0.5ml                                                       | SAHL                                     |
| Respiratory Panel, Avian - includes AI and the following respiratory disease tests: IBV, ILTV, NDV (IBV typing not included).                                                              | 36.00         | 72.00          | Molecular Diag | Swab (trachea/oropharyngeal)                                      | SAHL                                     |
| Rotavirus ELISA Farm animal                                                                                                                                                                | 16.00         | 32.00          | Virology       | Feces-farm animal                                                 | FAHL                                     |
| Salmonella Culture                                                                                                                                                                         | 16.00         | 32.00          | Bact           | Fresh feces, ligated ileum or jejunum,                            | FAHL, SAHL                               |
| Salmonella ELISA                                                                                                                                                                           | 1.75          | 3.50           | Serology       | Serum 0.5ml - <b>contact lab prior to submission</b>              | SAHL                                     |
| Salmonella enteritidis rRT-PCR                                                                                                                                                             | 24.00         | 48.00          | Molecular Diag | Drag Swab                                                         | SAHL                                     |
| Salmonella pullorum/typhoid Microagglutination                                                                                                                                             | N/C           | 1.00           | Serology       | Serum 0.5ml                                                       | SAHL                                     |
| Scrapie-Spongiform Encephalitis                                                                                                                                                            | Send out      | Send out       | Send out       | Brain stem                                                        | NVSL                                     |
| Shipping and Packaging Fee ****                                                                                                                                                            | 20.00         | 20.00          | Admin          | N/A                                                               | FAHL, SAHL                               |
| Skin Scrapings farm animal                                                                                                                                                                 | 8.00          | 16.00          | Parasitol      | Skin scrapings in an envelope                                     | FAHL                                     |
| Special diag stain (Gram, GMS, PAS, etc)                                                                                                                                                   | \$8 per slide | \$16 per slide | Bact           | Tissue, Blood                                                     | FAHL, SAHL                               |
| St. Louis Equine Encephalitis                                                                                                                                                              | Send out      | Send out       | Send out       | Serum                                                             | NVSL                                     |
| Swine Enteric Corona Disease Virus (SECDv)                                                                                                                                                 | Send out      | Send out       | Send out       | Intestine porcine/ blood - <b>contact lab prior to submission</b> | Iowa St                                  |
| Swine Influenza Virus                                                                                                                                                                      |               |                | Virology       | Swabs - <b>contact lab prior to submission</b>                    | SAHL                                     |
| Transmissible Gastroenteritis                                                                                                                                                              |               |                |                | See FA for TGE                                                    |                                          |
| Urinalysis farm animal only                                                                                                                                                                | 8.00          | 16.00          | Clin Path      | 10 -15 ml urine                                                   | SAHL                                     |
| Venezualan Equine Encephalitis IGM ELISA                                                                                                                                                   | Send out      | Send out       | Send out       | 2ml serum/7- - 10 ml whole blood                                  | NVSL                                     |
| Venezualan Equine Encephalitis VNNVSL                                                                                                                                                      | Send out      | Send out       | Send out       | 1ml serum /7- - 10 ml whole blood                                 | NVSL                                     |
| Vesicular Stomatitis CF                                                                                                                                                                    | Send out      | Send out       | Send out       | 2 ml serum/7- - 10 ml whole blood                                 | CORNELL                                  |
| Viral Sequencing (RNA, DNA)                                                                                                                                                                | Send out**    | Send out**     | Send out**     | Viral isolate                                                     | Aviserve, GA, MSU                        |
| Virus Isolation (up to 3 serial pass)                                                                                                                                                      | Send out**    | Send out**     | Send out**     | Tissue, eggs culture                                              | Aviserve, GA, MSU                        |

|                                       |          |          |          |                                        |                           |
|---------------------------------------|----------|----------|----------|----------------------------------------|---------------------------|
| Water analysis                        | 40.00    | 80.00    | Bact     | Water sample                           | SAHL                      |
| West Nile Virus -PCR                  | Send out | Send out | Send out | <b>Contact lab prior to submission</b> | Cornell,MDH, Texas        |
| Western Equine Encephalitis IgM ELISA | Send out | Send out | Send out | 2 ml serum/7- - 10 ml whole blood      | NVSL                      |
| Western Equine Encephalitis VNNVSL    | Send out | Send out | Send out | 2 ml serum/7 - -10 ml whole blood      | NVSL                      |
| WMT/SCC                               | Send out | Send out | Send out | 10 cc milk (individual or bulk sample) | MDH, Milk Health Division |

**FAHL = Frederick Animal Health Laboratory**

**SAHL = Salisbury Animal Health Laboratory**

\* Food animals include sheep, goats, cattle, swine and meat rabbits.

\*\* Any test sent out will be subject to pricing from the sub-contracting lab, please call the lab for referral test prices.

\*\*\* Other tests not listed - please contact lab for availability and prices.\*\*\*

There will be a \$20 shipping/packaging charge billed to tests/supplies sent out.\*\*

\*\*\*\* Shipping and/or packaging that require special handling may have an increased shipping charge.\*\*\*\*

\*\*\*\*\*There is an additional EIA fee (\$1.00) for usage of Global Vet Link System only

All testing performed at the laboratory is subject to regulatory reporting requirements at the State and Federal level