



CLARKE

ANVIL® 10+ 10 ULV

Contains An Oil Soluble Synergized Synthetic Pyrethroid For Control of Adult Mosquitoes (Including Organophosphate-Resistant Species) In Outdoor Residential and Recreational Areas.

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish. Do not apply over permanent bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are actively visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

E.P.A. EST. No. 1021-MN-2
EPA Reg. No. 1021-1688-8329
NET CONTENTS

LOT NO.

ACTIVE INGREDIENTS:

3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate .. 10.00%

* Piperonyl Butoxide, Technical..... 10.00%

** OTHER INGREDIENTS 80.00%
100.00%

* Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and 2.00% related compounds

** Contains a petroleum distillate

Contains 0.74 pounds of Technical SUMITHRIN®/Gallon and 0.74 pounds Technical Piperonyl Butoxide/Gallon

SUMITHRIN®- Registered trademark of Sumitomo Chemical Company, Ltd.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

PRECAUCIONAL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

FIRST AID

IF SWALLOWED • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person

IF ON SKIN OR CLOTHING: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Contains a petroleum distillate – vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

MANUFACTURED FOR
**CLARKE MOSQUITO CONTROL
PRODUCTS, INC.**

159 N. GARDEN AVENUE • ROSELLE, ILLINOIS 60172

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other requirements exist.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

USE AREAS: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses.

For best results, apply when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground. i.e. cool temperatures and wind speed not greater than 10 mph.

Do not treat a site with more than 0.0036 pounds of Sumithrin® per acre in a 24-hour period. Do not exceed 1.0 pounds of Sumithrin® per acre in any site in any year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Note: ANVIL 10+10 ULV can not be diluted in water. Dilute this product with light mineral oil if dilution is preferred.

SPRAY DROPLET SIZE DETERMINATION

Ground Equipment: Spray equipment must be adjusted so that the volume median diameter (VMD) is 8 to 30 microns ($8 \leq D_v 0.5 \leq 30 \mu m$) and that 90% of the spray is contained in droplets smaller than 50 microns ($D_v 0.9 < 50 \mu m$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Equipment: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ($D_v < 60 \mu m$) and that 90% of the spray is contained in droplets smaller than 100 microns ($D_v 0.9 < 100 \mu m$). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND ULV APPLICATION

Apply ANVIL 10+10 ULV through a standard ULV cold aerosol or non-thermal aerosol (cold fog) generator. Consult the following table for examples of various dosage rates using a swath width of 300 feet for acreage calculations.

Dosage Rate	Fl. oz. ANVIL 10+10 ULV per Acre	Flow Rates in fluid oz./minute at truck speeds of:			
		5MPH	10MPH	15MPH	20MPH
Lbs Sumithrin®/acre					
0.0036	0.62	1.9 oz.	3.8 oz	5.7 oz	7.6 oz
0.0024	0.42	1.3 oz	2.5 oz	3.8 oz	5.1 oz
0.0012	0.21	0.6 oz	1.3 oz	1.9 oz	2.5 oz

ANVIL 10 + 10 ULV may be applied undiluted with a non-thermal ULV portable "backpack" spray unit capable of delivering particles in the 5 to 25 micron range. Apply at a walking speed of 2 mph, making sure that the same amount of A.I. is applied per acre.

ANVIL 10 + 10 ULV may be applied with suitable thermal fogging equipment. Do not exceed the maximum rates listed above. May be applied at speeds of 5 to 20 mph.

AERIAL APPLICATION

Prohibition on aerial use: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Service.

ANVIL 10+10 ULV may be applied at rates of 0.21 to 0.62 fluid ounces of ANVIL 10+10 ULV per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. ANVIL 10+10 ULV may also be diluted with a suitable solvent such as mineral oil and applied by aerial ULV equipment so long as 0.62 fluid ounces per acre of ANVIL 10+10 ULV is not exceeded. Aerial application should be made at an altitude below 300 feet. Do not apply when ground wind speeds exceed 10 mph.

Dosage Rate Lbs Sumithrin®/acre	Flow Rates in fluid oz./acre ANVIL® 10 + 10 ULV	
	0.0036	.62 oz
0.0024	.42 oz	
0.0012	.21 oz	

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**FOR MORE INFORMATION CALL:
1-800-323-5727**